Catalogue
Europe

JIC Adapters

We feel better under pressure

Vitillo

Vitillo

Hydraulic Components



We feel better under pressure

Our strong points

Complete product range

Vitillo is the solution to any problem of hydraulic applications.
Spiral and braided hoses with metal reinforcement, standard and interlock press fittings, BSP, JIC, DIN and ORFS adaptors, customized special fittings: Whatever the customer's question, Vitillo is the answer.

Hoses

Press fittings
ISO 12151 SAE J516

BSP adaptors
BS 5200

JIC adaptors

SAE J514

DIN 24° adaptors
DIN 2353

ORFS adaptors
ORFS J1453

Our strong points

Complete product range

We aim to make our customers' lives easier:

Only one-stop business partner for any hydraulic system.
We offer our experience and expertise during every stage, from the design to the assembly of rigid/flexible hydraulic system.

BENDED PIPES

FITTED HOSES



Applications

High performances
in very extreme conditions

Certifications

MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

DET NORSKE VERITAS (DNV)

GERMANISCHER LLOYD (GL)

RINA (Registro Navale Italiano)

MarED

GOST-R

TEST
Opniujacej Atestujacej I Certyfikujacej
Wiroby Test Sp z.o.o.

Components JIC

ABJ
BUSH
/ Pg. 16

DBJ
JIC NUT
/ Pg. 17



Male -Male JIC

AMJ
MALE JIC - MALE JIC
/ Pg. 18



LMJ
90°MALE EQUAL ELBOW-JIC MALE
/ Pg. 19



TMJ
T ADPT MALE JIC
/ Pg. 20



APPMJ
BULKHEAD CONNECTION
/ Pg. 21



LPPMJ
90°BULKHEAD-JIC MALE
/ Pg. 22



QPPMJ
JIC MALE BULKHEAD ELBOW-JIC MALE
/ Pg. 23



Female-Male JIC

AFGJ MJ
ADP SWIVEL FEMAL JIC - MALE JIC
/ Pg. 24



LMJ. FGJ
90° ADAPTOR FEMALE JIC-MALE JIC
/ Pg. 25



QMJ.FGJ
45° ADAPTOR FEMALE JIC -MALE JIC
/ Pg. 26



TMJ FGJ. B
RUN FEMALE JIC-TEE MALE JIC
/ Pg. 27



TMJ FGJ. P
BRANCH FEMALE JIC-TEE MALE JIC
/ Pg. 28



Male JIC - Male BSPP

AMJ MG. R
ADP MALE JIC MALE BSPP FORM E
/ Pg. 29-30



AMJ MG. SV
ADP MALE JIC MALE BSPP 60°CONE
/ Pg. 31-32



AMJ MG L
STRAIGHT BULKHEAD MALE JIC - MALE BSPP
/ Pg. 33-34



Male JIC-Female BSPP

AMJ FFG
ADP MALE ORFS - FIXED FAMALE BSPP
/ Pg. 35



LMJ FFG
90°ADP MALE JIC - FIXED FAMALE BSPP
/ Pg. 36



TMJ FFG B
RUN TEE MALE JIC - AMALE BSPP
/ Pg. 37



TMJ FFG P
BRANCH TEE MALE JIC - FAMALE BSPP
/ Pg. 38



Female JIC - Male BSPP

AFGJ MG R
ADAPTOR FEMALE JIC - MALE BSPP FORM E
/ Pg. 39-40



Visual index

Female JIC - Female BSPP

AFFG FJ
ADAPTER FOR PRESSURE CONNECTION
/ Pg. 41



Male JIC - Male METRIC

AMJ MM. R
ADP MALE JIC MALE METRIC FORM E
/ Pg. 42



AMJ MM
ADP MALE JIC MALE METRIC
/ Pg. 43



AMJ MM L
LONG CONNECTOR MALE JIC - MALE METRIC
/ Pg. 44



AMJ MM RL
LONG CONNECTOR MALE JIC - MALE METRIC FORM E
/ Pg. 45



Female JIC - M METRIC.

AFGJ MM R
ADAPTOR FEMALE JIC-MALE METRIC FORM E
/ Pg. 46



AFGJ MM
ADAPTOR FEMALE JIC - MALE METRIC
/ Pg. 47



Male JIC - Male UNF

AMJ MU
ADP MALE JIC MALE UNF
/ Pg. 48-49



AMJ MU L
LONG CONNECTOR MALE JIC - MALE UNF
/ Pg. 50



Female JIC - Male UNF

AFGJ MU
ADAPTOR FEMALE JIC - MALE UNF
/ Pg. 51



Male JIC - Male NPT

AMJ MGK
ADP MALE JIC MALE BSPT/
Pg. 52-53



LMJ MGK
90° ADAPTOR MALE JIC-BSPT MALE / Pg. 54-55



LMJ MGK L
90° LONG CONNECTOR MALE JIC-BSPT MALE
/ Pg. 56



QMJ MGK
45° ADAPTOR MALE JIC-BSPT MALE
/ Pg. 57-58



TMJ MGK B
RUN TEE ADAPTOR MALE JIC-MALE BSPT
/ Pg. 59



TMJ MGK P
BRANCH TEE ADAPTOR MALE JIC-MALE BSPT/
Pg. 60



Visual index

Female JIC - Male BSPT

AFGJ MGK
ADAPTOR FEMALE JIC - MALE BSPT
/ Pg. 61



Male JIC - Male NPT

AMJ MN
ADP MALE JIC MALE NPT
/ Pg. 62-63



LMJ MN
90° ADAPTOR MALE JIC-NPT MALE / Pg. 64-65



LMJ MN L
90° LONG CONNECTOR-TOR MALE JIC-MALE NPT
/ Pg. 66



QMJ MN
45° ADAPTOR MALE JIC-NPT MALE / Pg. 67-68



TMJ MN P
BRANCH TEE ADAPTOR MALE JIC-MALE NPT
/ Pg. 69



TMJ MN B
RUN TEE ADAPTOR MALE JIC-MALE NPT
/ Pg. 70



Female JIC - Male NPT

AFGJ MN
ADAPTOR FEMALE JIC - MALE BSPT
/ Pg. 71



Male JIC- Female NPT

AMJ FFN
ADP MALE JIC FIXED FE-MALE NPT
/ Pg. 72



APPMJ FFN
STRAIGHT BULKHEAD MALE JIC FEMALE NPT
/ Pg. 73



LMJ MN
90° ADAPTOR MALE JIC-FEMALE NPT / Pg. 74



TMJ FFN P
BRANCH TEE ADAPTOR MALE JIC-FEMALE NPT
/ Pg. 75



TMJ FFN B
RUN TEE ADAPTOR MALE JIC-FEMMALE NPT
/ Pg. 76



Weld fittings

AMNJ T
WELDING ADP MALE JIC
/ Pg. 77



LMJ .. T
90° ADP MALE JIC SIDE FEMALE TO WELD
/ Pg.78



LMJ .. W
90° ADP MALE JIC BUTTWELD
/ Pg. 79



Plugs

ATMJ
MALE PLUG JIC
/ Pg.80



ATFGJ
FEMALE PLUG UNF
/ Pg. 81



Locknut adjustable

LMJ MOG
90° ADJUSTABLE MALE JIC- MALE BSPP
/ Pg. 82-83



LMJ MOM R
90° ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 84



LMJ MOM
90° ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 85



LMJ MOU
90° ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 86



QMJ MOG
45° ADJUSTABLE MALE JIC- MALE BSPP
/ Pg. 87-88



QMJ MOM R
45° ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 89



QMJ MOM
45° ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 90



QMJ MOU
45° ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 91



TMJ MOG B
RUN TEE ADJUSTABLE MALE JIC- MALE BSPP
/ Pg. 92-93



TMJ MOM R B
RUN TEE ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 94



TMJ MOM B
RUN TEE ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 95



TMJ MOU B
RUN TEE ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 96



TMJ MOG P
BRUNCH TEE ADJUSTABLE MALE JIC- MALE BSPP
/ Pg. 97-98



TMJ MOM R P
BRUNCH TEE ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 99



TMJ MOM P
BRUNCH TEE ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 100



TMJ MOU P
BRUNCH TEE ADJUSTABLE MALE JIC- MALE METRIC
/ Pg. 101



Note:

Vitillo Spa offers a wide range of fittings and adaptors. If you have not found here the threads combination you were looking for, please check also in the other catalogues or ask to our Technical Staff.

La Vitillo Spa offre una vasta gamma di raccordi e adattatori. Se non avete trovato quì la combinazione del filetto che stavate cercando, si prega di controllare anche negli altri cataloghi o chiedere al nostro staff tecnico.

Nut - Bush coupling correspondence

bush D	bush D	Bush CODE	NUT Code
6		ABJ06	DBJ04
	1/4"	ABJ06	DBJ04
8		ABJ08	DBJ05
	5/16"	ABJ08	DBJ05
10		ABJ10	DBJ06
	3/8"	ABJ3/8"	DBJ06
12		ABJ12	DBJ08
	1/2"	ABJ1/2"	DBJ08
14		ABJ14	DBJ10
15		ABJ15	DBJ10
16		ABJ16	DBJ10
	5/8"	ABJ16	DBJ10
18		ABJ18	DBJ12
20		ABJ20	DBJ12
	3/4"	ABJ20	DBJ12
22		ABJ22	DBJ14
25		ABJ25	DBJ16
	1"	ABJ25	DBJ16
30		ABJ30	DBJ20
	1".1/4	ABJ32	DBJ20
32		ABJ32	DBJ20
	1".1/2	ABJ38	DBJ24
38		ABJ38	DBJ24

BUSH



BUSSOLA
JUPE
ROHRANSCHLUSS FÜR JIC-MUTTER
CASQUILLO

Code	Thread	Dimensions			Pressure	
		Ø	D	L1	PN	
			mm	mm	Bar	Psi
ABJ06		6 -1/4''	9.7	10.4	345	5003
ABJ08		**8 - 5/16''**	**11.3**	**11.2**	**345**	**5003**
ABJ3/8''		3/8''	12.7	12.7	345	5003
ABJ10		**10**	**12.7**	**12.7**	**345**	**5003**
ABJ1/2''		1/2''	17.3	14.2	310	4495
ABJ12		**12**	**17.3**	**14.2**	**310**	**4495**
ABJ14		14	20.2	16.8	240	3480
ABJ15		**15**	**20.2**	**16.8**	**240**	**3480**
ABJ16		16 - 5/8''	20.2	16.8	240	3480
ABJ18		**18**	**24.6**	**17.3**	**240**	**3480**
ABJ20		20 - 3/4''	24.6	17.3	210	3045
ABJ22		**22**	**31**	**19.8**	**210**	**3045**
ABJ25		25 -1''	31	19.8	210	3045
ABJ30		**30**	**38.9**	**23.1**	**170**	**2465**
ABJ32		32 1.1/4''	38.9	23.1	170	2465
ABJ38		**38 1.1/2''**	**45.3**	**28.4**	**140**	**2030**

JIC NUT



DADO JIC PER BUSSOLA
ÉCROU JIC
JIC-MUTTER FÜR ROHRANSCHLUSS
TUERCA JIC

F1 JIC

Code	Thread	Dimensions		Pressure	
	F1	H	L	PN	
		mm	mm	Bar	Psi
DBJ04	7/16"	14	15.5	345	5003
DBJ05	**1/2"**	**17**	**17**	**345**	**5003**
DBJ06	9/16"	19	18.3	345	5003
DBJ08	**3/4"**	**22**	**21.3**	**310**	**4495**
DBJ10	7/8"	27	24.6	240	3480
DBJ12	**1".1/16**	**32**	**25.9**	**240**	**3480**
DBJ14	1".3/16	41	28.4	240	3480
DBJ16	**1".5/16**	**30**	**28**	**210**	3045
DBJ20	1".5/8	50	31	170	2465
DBJ24	**1".7/8**	**60**	**35.8**	**105**	1523

ADAPTOR MALE JIC - MALE JIC



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO JIC
ADAPTATEUR MÂLE JIC - MÂLE JIC
VERBINDER AG- JIC / AG-JIC
ADAPTADOR MACHO-MACHO JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L	PN	
			mm	mm	mm	Bar	Psi
AMJ0404	7/16''	7/16''	12	14	35	345	5003
AMJ0505	**1/2''**	**1/2''**	**14**	**14**	**35**	**345**	**5003**
AMJ0606	9/16''	9/16''	17	14.1	36	345	5003
AMJ0808	**3/4''**	**3/4''**	**22**	**16.7**	**41**	**310**	**4495**
AMJ1010	7/8''	7/8''	24	19.3	48	240	3480
AMJ1212	**1''.1/16**	**1''.1/16**	**30**	**21.9**	**55**	**240**	**3480**
AMJ1616	1''.5/16	1''.5/16	36	23.1	57	210	3045
AMJ2020	**1''.5/8**	**1''.5/8**	**46**	**24.3**	**61.5**	**170**	**2465**
AMJ2424	1''.7/8	1''.7/8	50	27.5	70	140	2030

90° ADAPTOR MALE JIC - MALE JIC



GOMITO 90° - MASCHIO JIC - MASCHIO JIC
ADAPTATEUR COUDE 90° MÂLE JIC - MÂLE JIC
ADAPTER 90° GSK - AG- JIC / AG- JIC
CODO 90° MACHO JIC - MACHO JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04	7/16"	7/16"	14	23.5	23.5	345	5003
LMJ05	**1/2"**	**1/2"**	**14**	**25**	**25**	**345**	**5003**
LMJ06	9/16"	9/16"	14	27.5	27.5	345	5003
LMJ08	**3/4"**	**3/4"**	**19**	**32**	**32**	**310**	**4495**
LMJ10	7/8"	7/8"	22	37	37	240	3480
LMJ12	**1".1/16**	**1".1/16**	**27**	**42**	**42**	**240**	**3480**
LMJ16	1".5/16	1".5/16	33	46	46	210	3045
LMJ20	**1".5/8**	**1".5/8**	**41**	**52.5**	**52.5**	**170**	**2465**

TEE MALE ADAPTOR JIC



ADATTATORE "T" - MASCHIO JIC
ADAPTATEUR TÉ MÂLE JIC
ADAPTER T-STÜCK 3 X AG-JIC
ADAPTADOR TE MACHO JIC

F1 - JIC

Code	Thread	Dimensions		Pressure	
	F1	**H**	**L1**	**PN**	
		mm	mm	Bar	Psi
TMJ04	7/16"	14	23.5	345	5003
TMJ05	**1/2"**	**14**	**25**	**354**	**5133**
TMJ06	9/16"	14	27.5	345	5003
TMJ08	**3/4"**	**19**	**32**	**310**	**4495**
TMJ10	7/8"	22	37	240	3480
TMJ12	**1".1/16**	**27**	**42**	**240**	**3480**
TMJ16	1".5/16	33	46	210	3045
TMJ20	**1".5/8**	**41**	**52.5**	**170**	**2465**

STRAIGHT BULKHEAD ADAPTOR MALE JIC – MALE JIC



ADATTATORE DIRITTO - PASSAPARETE - MASCHIO JIC - MASCHIO JIC
PASSE-CLOISON MÂLE JIC - MÂLE JIC
SCHOTTADAPTER –AG- JIC / AG- JIC
PASATABIQUES MACHO JIC – MACHO JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L2	L	PN	
			mm	mm	mm	mm	mm	Bar	Psi
APPMJ04	7/16"	7/16"	17	17	14	31.5	52.5	345	5003
APPMJ05	**1/2"**	**1/2"**	**19**	**19**	**14**	**31.5**	**52.5**	**345**	**5003**
APPMJ06	9/16"	9/16"	22	22	14.1	33.5	55.5	345	5003
APPMJ08	**3/4"**	**3/4"**	**24**	**24**	**16.7**	**36.6**	**61**	**310**	**4495**
APPMJ10	7/8"	7/8"	30	30	19.3	41.1	69.5	240	3480
APPMJ12	**1".1/16**	**1".1/16**	**36**	**36**	**21.9**	**45.4**	**78.5**	**240**	**3480**
APPMJ16	1".5/16	1".5/16	41	41	23.1	45.4	80	210	3045
APPMJ20	**1".5/8**	**1".5/8**	**50**	**50**	**24.3**	**46.7**	**84**	**170**	**2465**
APPMJ24	1".7/8	1".7/8	55	55	27.5	47	89.5	140	2030

90° BULKHEAD ADAPTOR MALE JIC – MALE JIC



GOMITO 90° PASSAPARETE - MASCHIO JIC - MASCHIO JIC
PASSE-CLOISON COUDE 90° MÂLE JIC - MÂLE JIC
ADAPTER 90° GSK – SCHOTTADAPTER - AG-JIC / AG-JIC
PASATABIQUES CODO 90° MACHO JIC – MACHO JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
LPPMJ04	7/16"	7/16"	14	17	24.5	40.5	310	4495
LPPMJ05	**1/2"**	**1/2"**	**14**	**19**	**27**	**43.5**	**275**	**3988**
LPPMJ06	9/16"	9/16"	14	22	27.5	46	275	3988
LPPMJ08	**3/4"**	**3/4"**	**19**	**24**	**34.5**	**53.5**	**275**	**3988**
LPPMJ10	7/8"	7/8"	22	30	39.5	60.5	210	3045
LPPMJ12	**1".1/16**	**1".1/16**	**27**	**36**	**45**	**68**	**210**	**3045**
LPPMJ16	1".5/16	1".5/16	33	41	49.5	71	170	2465
LPPMJ20	**1".5/8**	**1".5/8**	**41**	**50**	**57**	**79**	**140**	**2030**

45° BULKHEAD ADAPTOR MALE JIC – MALE JIC



GOMITO 45° PASSAPARETE - MASCHIO JIC - MASCHIO JIC
PASSE-CLOISON COUDE 45° MÂLE JIC - MÂLE JIC
ADAPTER 45° GSK – SCHOTTADAPTER - AG-JIC / AG-JIC
PASATABIQUES CODO 45° MACHO JIC – MACHO JIC

F1- JIC
F2- JIC

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
QPPMJ04	7/16"	7/16"	14	17	19.5	39	310	4495
QPPMJ05	**1/2"**	**1/2"**	**14**	**19**	**20**	**41**	**275**	**3988**
QPPMJ06	9/16"	9/16"	14	22	21.5	43	275	3988
QPPMJ08	**3/4"**	**3/4"**	**19**	**24**	**25.5**	**49.5**	**275**	**3988**
QPPMJ10	7/8"	7/8"	22	30	29	55	210	3045
QPPMJ12	**1".1/16**	**1".1/16**	**27**	**36**	**33**	**62**	**210**	**3045**
QPPMJ16	1".5/16	1".5/16	33	41	38	65	170	2465
QPPMJ20	**1".5/8**	**1".5/8**	**41**	**50**	**40**	**67**	**140**	**2030**

ADAPTOR FEMALE JIC - MALE JIC



ADATTATORE DIRITTO - FEMMINA JIC - MASCHIO JIC
ADAPTATEUR FEMELLE E JIC - MÂLE JIC
REDUZIERUNG IG-JIC / AG - JIC
ADAPTADOR HEMBRA JIC - MACHO JIC

F1 - JIC
F2 - JIC

	Code	Thread		Dimensions					Pressure	
		F1	F2	H	L1	L2	L	Form	PN	
Forma				mm	mm	mm	mm		Bar	Psi
	AFGJ06MJ04	9/16"	7/16"	19	19	14	33	Y	275	3988
	AFGJ06MJ05	**9/16"**	**1/2"**	**19**	**17.5**	**14**	**31.5**	**X**	**345**	**5003**
	AFGJ08MJ04	3/4"	7/16"	22	21.9	14	35.9	Y	275	3988
	AFGJ08MJ05	**3/4"**	**1/2"**	**22**	**21.9**	**14**	**35.9**	**Y**	**275**	**3988**
	AFGJ08MJ06	3/4"	9/16"	22	21.8	14.1	35.9	Y	275	3988
	AFGJ10MJ04	**7/8"**	**7/16"**	**27**	**25.2**	**14**	**39.2**	**Y**	**210**	**3045**
	AFGJ10MJ06	7/8"	9/16"	27	25.1	14.1	39.2	Y	210	3045
	AFGJ10MJ08	**7/8"**	**3/4"**	**27**	**24.3**	**16.7**	**41**	**X**	**240**	**3480**
	AFGJ12MJ04	1".1/16	7/16"	32	26.4	14	40.4	Y	210	3045
	AFGJ12MJ06	**1".1/16**	**9/16"**	**32**	**26.3**	**14.1**	**40.4**	**Y**	**210**	**3045**
	AFGJ12MJ08	1".1/16	3/4"	32	26.2	16.7	42.9	Y	210	3045
	AFGJ12MJ10	**1".1/16**	**7/8"**	**32**	**27.2**	**19.3**	**46.5**	**X**	**240**	**3480**
	AFGJ16MJ12	1".5/16	1".1/16	41	28.9	21.9	50.8	Y	170	2465
	AFGJ20MJ12	**1".5/8**	**1".1/16**	**50**	**31.4**	**21.9**	**53.3**	**Y**	**140**	**2030**
	AFGJ20MJ16	1".5/8	1".5/16	50	31.7	23.1	54.8	Y	140	**2030**
	AFGJ24MJ16	**1".7/8**	**1".5/16**	**60**	**36.3**	**23.1**	**59.4**	**Y**	**105**	**1523**

X: Swivel nut version
Versione con dado girevole
Y: Fixed nut version
Versione con dado fisso

90° ADAPTOR MALE JIC – SWIVEL FEMALE JIC



GOMITO 90° - MASCHIO JIC - FEMMINA GIREVOLE JIC
ADAPTATEUR COUDE 90° MÂLE JIC – FEMELLE TOURNANTE JIC
ADAPTER 90° GSK - AG- JIC / IG-JIC
CODO 90° MACHO JIC - HEMBRA GIRATORIA JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L2		PN	
			mm	mm	mm	mm		Bar	Psi
LMJ04FGJ04	7/16"	7/16"	14	15	24	28		310	4495
LMJ05FGJ05	**1/2"**	**1/2"**	**14**	**17**	**25**	**28**		**275**	**3988**
LMJ06FGJ06	9/16"	9/16"	14	19	27.5	33		275	3988
LMJ08FGJ08	**3/4"**	**3/4"**	**19**	**24**	**32**	**36.5**		**275**	**3988**
LMJ10FGJ10	7/8"	7/8"	22	27	37	41.5		210	3045
LMJ12FGJ12	**1".1/16**	**1".1/16**	**27**	**32**	**42**	**46.5**	*	**210**	**3045**
LMJ16FGJ16	1".5/16	1".5/16	33	41	49	59	*	170	2465
LMJ20FGJ20	**1".5/8**	**1".5/8**	**41**	**50**	**52.5**	**67.5**	*	**140**	**2030**

* **Thrust-wire nut**
Dado spinato

45° ADAPTOR MALE JIC – SWIVEL FEMALE JIC



GOMITO 45° - MASCHIO JIC - FEMMINA GIREVOLE JIC
ADAPTATEUR COUDE 45° MÂLE JIC – FEMELLE TOURNANTE JIC
ADAPTER 45° GSK - AG- JIC / IG-JIC DREHBARE MUTTER
CODO 45° MACHO JIC - HEMBRA GIRATORIA JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L2		PN	
			mm	mm	mm	mm		Bar	Psi
QMJ04FGJ04	7/16"	7/16"	14	15	19.5	24.5		310	4495
QMJ05FGJ05	**1/2"**	**1/2"**	**14**	**17**	**20**	**25.5**		**275**	**3988**
QMJ06FGJ06	9/16"	9/16"	14	19	21.5	27.3		275	3988
QMJ08FGJ08	**3/4"**	**3/4"**	**19**	**24**	**25.5**	**23.1**		**275**	**3988**
QMJ10FGJ10	7/8"	7/8"	22	27	29	36.6		210	3045
QMJ12FGJ12	**1".1/16**	**1".1/16**	**27**	**32**	**33**	**37.2**	*	**210**	**3045**
QMJ16FGJ16	1".5/16	1".5/16	33	41	38	45.4	*	170	2465
QMJ20FGJ20	**1".5/8**	**1".5/8**	**41**	**50**	**40**	**51.3**		**140**	**2030**

* **Thrust-wire nut**
Dado spinato

RUN TEE MALE JIC - SWIVEL FEMALE JIC



ADATTATORE "T" - MASCHIO JIC - FEMMINA GIREVOLE JIC AL BRACCIO
ADAPTATEUR TÉ RENVERSÉ MÂLE JIC - FEMELLE TOURNANTE JIC
ADAPTER T-STÜCK 2 X AG-JIC / 1 X IG- JIC DREHBARE MUTTER (ARM)
ADAPTADOR TEE MACHO JIC – HEMBRA GIRATORIA JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L2		PN	
			mm	mm	mm	mm		Bar	Psi
TMJ04FGJ04B	7/16"	7/16"	15	15	24	28		310	
TMJ05FGJ05B	**1/2"**	**1/2"**	**14**	**17**	**25**	**28**		**275**	
TMJ06FGJ06B	9/16"	9/16"	19	19	27.5	33		275	
TMJ08FGJ08B	**3/4"**	**3/4"**	**19**	**24**	**32**	**36.5**		**275**	
TMJ10FGJ10B	7/8"	7/8"	22	27	37	41.5		210	
TMJ12FGJ12B	**1".1/16**	**1".1/16**	**27**	**32**	**42**	**46.5**	*	**210**	
TMJ16FGJ16B	1".5/16	1".5/16	33	41	49	59	*	170	
TMJ20FGJ20B	**1".5/8**	**1".5/8**	**41**	**50**	**57**	**67.5**	*	**140**	

* **Thrust-wire nut**
Dado spinato

BRANCH TEE MALE JIC - SWIVEL FEMALE JIC



ADATTATORE "T" - MASCHIO JIC - FEMMINA GIREVOLE JIC AL PIEDE
ADAPTATEUR TÉ MÂLE JIC - FEMELLE TOURNANTE JIC
ADAPTER T-STÜCK 2 X AG-JIC / 1 X IG- JIC DREHBARE MUTTER (FUSS)
ADAPTADOR TE MACHO JIC – HEMBRA GIRATORIA JIC

F1 - JIC
F2 - JIC

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L2		PN	
			mm	mm	mm	mm		Bar	
TMJ04FGJ04P	7/16"	7/16"	15	15	24	28		310	4495
TMJ05FGJ05P	**1/2"**	**1/2"**	**14**	**17**	**25**	**28**		**275**	**3988**
TMJ06FGJ06P	9/16"	9/16"	19	19	27.5	33		275	3988
TMJ08FGJ08P	**3/4"**	**3/4"**	**19**	**24**	**32**	**36.5**		**275**	**3988**
TMJ10FGJ10P	7/8"	7/8"	22	27	37	41.5		210	3045
TMJ12FGJ12P*	**1".1/16**	**1".1/16**	**27**	**32**	**42**	**46.5**	*	**210**	**3045**
TMJ16FGJ16P*	1".5/16	1".5/16	33	41	49	59	*	170	2465
TMJ20FGJ20P*	**1".5/8**	**1".5/8**	**41**	**50**	**57**	**67.5**	*	**140**	**2030**

* **Thrust-wire nut**
Dado spinato

ADAPTOR MALE JIC - MALE BSPP FORM E (1)



ADATTATORE DIRITTO - MASCHIO JIC . MASCHIO GAS CILINDRICO FORMA E DIN 3852
ADAPTATEUR MÂLE JIC - MÂLE BSPP FORME E
ADAPTER AG-JIC / AG- ZÖLLIG FORM E
ADAPTADOR MACHO JIC - MACHO BSPP FORMA E

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MG02R	7/16"	1/8"	14	14	8	30.5	345	5003
AMJ04MG04R	**7/16"**	**1/4"**	**19**	**14**	**12**	**34.5**	**345**	**5003**
AMJ04MG06R	7/16"	3/8"	22	14	12	36	310	4495
AMJ04MG08R	**7/16"**	**1/2"**	**27**	**14**	**14**	**39.5**	**240**	**3480**
AMJ05MG02R	1/2"	1/8"	14	14	8	30.5	345	5003
AMJ05MG04R	**1/2"**	**1/4"**	**19**	**14**	**12**	**34.5**	**345**	**5003**
AMJ05MG06R	1/2"	3/8"	22	14	12	36	310	4495
AMJ05MG08R	**1/2"**	**1/2"**	**27**	**14**	**14**	**40**	**240**	**3480**
AMJ06MG02R	9/16"	1/8"	17	14.1	8	30.5	345	5003
AMJ06MG04R	**9/16"**	**1/4"**	**19**	**14.1**	**12**	**34.5**	**345**	**5003**
AMJ06MG06R	9/16"	3/8"	22	14.1	12	36	310	4495
AMJ06MG08R	**9/16"**	**1/2"**	**27**	**14.1**	**14**	**40**	**240**	**3480**
AMJ08MG04R	3/4"	1/4"	22	16.7	12	38	310	4495
AMJ08MG06R	**3/4"**	**3/8"**	**22**	**16.7**	**12**	**38.5**	**310**	**4495**
AMJ08MG08R	3/4"	1/2"	27	16.7	14	42.5	240	3480
AMJ08MG12R	**3/4"**	**3/4"**	**32**	**16.7**	**16**	**46**	**240**	**3480**
AMJ10MG06R	7/8"	3/8"	24	19.3	12	42.5	240	3480
AMJ10MG08R	**7/8"**	**1/2"**	**27**	**19.3**	**14**	**45**	**240**	**3480**
AMJ10MG12R	7/8"	3/4"	32	19.3	16	48.5	240	3480
AMJ10MG16R	**7/8"**	**1"**	**41**	**19.3**	**18**	**51.9**	**210**	**3045**

ADAPTOR MALE JIC - MALE BSPP FORM E (2)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CILINDRICO FORMA E DIN 3852
ADAPTATEUR MÂLE JIC - MÂLE BSPP FORME E
ADAPTER AG-JIC / AG- ZÖLLIG FORM E
ADAPTADOR MACHO JIC - MACHO BSPP FORMA E

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ12MG06R	1".1/16	3/8"	30	21.9	12	46.5	240	3480
AMJ12MG08R	**1".1/16**	**1/2"**	**30**	**21.9**	**14**	**49**	**240**	**3480**
AMJ12MG12R	1".1/16	3/4"	32	21.9	16	51	240	3480
AMJ12MG16R	**1".1/16**	**1"**	**41**	**21.9**	**18**	**54.5**	**210**	**3045**
AMJ16MG12R	1".5/16	3/4"	36	23.1	16	53.5	210	3045
AMJ16MG16R	**1".5/16**	**1"**	**41**	**23.1**	**18**	**55.5**	**210**	**3045**
AMJ16MG20R	1".5/16	1".1/4	50	23.1	20	60	210	3045
AMJ20MG16R	**1".5/8**	**1"**	**46**	**24.3**	**18**	**59**	**170**	**2465**
AMJ20MG20R	1".5/8	1".1/4	50	24.3	20	61	170	2465
AMJ20MG24R	**1".5/8**	**1".1/2**	**55**	**24.3**	**22**	**64**	**140**	**2030**
AMJ24MG16R	1".7/8	1"	50	27.5	18	62	140	2030
AMJ24MG20R	**1".7/8**	**1".1/4**	**50**	**27.5**	**20**	**64**	**140**	**2030**
AMJ24MG24R	1".7/8	1".1/2	55	27.5	22	67	140	2030

ADAPTOR MALE JIC - MALE BSPP 60° CONE (1)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CILINDRICO SV 60°
ADAPTATEUR MÂLE JIC - MÂLE BSPP CÔNE 60°
ADAPTER AG-JIC / AGR-F MIT 60° KONUS
ADAPTADOR MACHO JIC - MACHO BSPP CONO 60°

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MG02SV	7/16"	1/8"	14	14	8	29	345	5003
AMJ04MG04SV	**7/16"**	**1/4"**	**19**	**14**	**12**	**34.5**	**345**	**5003**
AMJ04MG06SV	7/16"	3/8"	22	14	12	34.5	310	4495
AMJ04MG08SV	**7/16"**	**1/2"**	**27**	**14**	**14**	**38**	**240**	**3480**
AMJ05MG02SV	1/2"	1/8"	14	14	8	29	345	5003
AMJ05MG04SV	**1/2"**	**1/4"**	**19**	**14**	**12**	**34.5**	**345**	**5003**
AMJ05MG06SV	1/2"	3/8"	22	14	12	34.5	310	4495
AMJ05MG08SV	**1/2"**	**1/2"**	**27**	**14**	**14**	**38**	**240**	**3480**
AMJ06MG02SV	9/16"	1/8"	17	14	8	30.5	345	5003
AMJ06MG04SV	**9/16"**	**1/4"**	**19**	**14.1**	**12**	**34.6**	**345**	**5003**
AMJ06MG06SV	9/16"	3/8"	22	14.1	12	34.5	310	4495
AMJ06MG08SV	**9/16"**	**1/2"**	**27**	**14.1**	**14**	**38**	**240**	**3480**
AMJ08MG04SV	3/4"	1/4"	22	17	12	37.5	310	4495
AMJ08MG06SV	**3/4"**	**3/8"**	**22**	**16.7**	**12**	**36**	**310**	**4495**
AMJ08MG08SV	3/4"	1/2"	27	16.7	14	41	240	3480
AMJ08MG12SV	**3/4"**	**3/4"**	**32**	**17**	**16**	**45**	**240**	**3480**
AMJ10MG06SV	7/8"	3/8"	24	19.5	19	45	240	3480
AMJ10MG08SV	7/8"	1/2"	27	19.5	14	43.5	240	3480
AMJ10MG12SV	7/8"	3/4"	32	19.5	16	47.5	240	3480

ADAPTOR MALE JIC - MALE BSPP 60° CONE (2)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CILINDRICO SV 60°
ADAPTATEUR MÂLE JIC - MÂLE BSPP CÔNE 60°
ADAPTER AG-JIC / AGR-F MIT 60° KONUS
ADAPTADOR MACHO JIC - MACHO BSPP CONO 60°

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ10MG16SV	7/8"	1"	41	19.3	18	49.8	210	3045
AMJ12MG06SV	**1".1/16**	**3/8"**	**30**	**21.9**	**12**	**45**	**240**	**3480**
AMJ12MG08SV	1".1/16	1/2"	30	21.9	14	47	240	3480
AMJ12MG12SV	**1".1/16**	**3/4"**	**32**	**21.9**	**16**	**49.9**	**210**	**3045**
AMJ12MG16SV	1".1/16	1"	41	21.9	18	52.4	210	3045
AMJ16MG12SV	**1".5/16**	**3/4"**	**36**	**23.1**	**16**	**51.1**	**210**	**3045**
AMJ16MG16SV	1".5/16	1"	41	23.1	18	53.6	210	3045
AMJ16MG20SV	**1".5/16**	**1".1/4**	**50**	**23.1**	**20**	**57.1**	**210**	**3045**
AMJ16MG24SV	1".5/16	1".1/2	55	23.1	21	58.3	170	2465
AMJ20MG16SV	**1".5/8**	**1"**	**46**	**24.3**	**18**	**55.3**	**170**	**2465**
AMJ20MG20SV	1".5/8	1".1/4	50	24.3	20	58.3	170	2465
AMJ20MG24SV	**1".5/8**	**1".1/2**	**55**	**24.3**	**22**	**60.3**	**140**	**2030**
AMJ24MG16SV	1".7/8	1"	50	27.5	18	59.5	140	2030
AMJ24MG20SV	**1".7/8**	**1".1/4**	**50**	**27.5**	**20**	**61.5**	**140**	**2030**
AMJ24MG24SV	1".7/8	1".1/2	55	27.5	22	65.5	140	2030

LONG CONNECTOR MALE JIC - MALE BSPP FORM E (1)



PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO GAS CILINDRICO FORMA E
PROLONGATEUR MÂLE JIC – MÂLE BSPP FORME E
VERLÄNGERUNG AG-JIC / AG- ZÖLLIG FORM E
PROLONGADOR MACHO JIC - MACHO BSPP FORMA E

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MG02L	7/16"	1/8"	14	35	6.7	50	345	5003
AMJ04MG04L	**7/16"**	**1/4"**	**19**	**35**	**10.2**	**54**	**345**	**5003**
AMJ05MG02L	1/2"	1/8"	14	37	6.7	52	345	5003
AMJ05MG04L	**1/2"**	**1/4"**	**19**	**37**	**10.2**	**56**	**345**	**5003**
AMJ05MG06L	1/2"	3/8"	22	37	10.2	57	310	**4495**
AMJ06MG04L	**9/16"**	**1/4"**	**19**	**39**	**10.2**	**58**	**345**	**5003**
AMJ06MG06L	9/16"	3/8"	22	39	10.2	59	310	**4495**
AMJ06MG08L	**9/16"**	**1/2"**	**27**	**39**	**12.2**	**63**	**240**	**3480**
AMJ08MG04L	3/4"	1/4"	22	48	10.2	68	310	**4495**
AMJ08MG06L	**3/4"**	**3/8"**	**22**	**48**	**10.2**	**68**	**310**	**4495**
AMJ08MG08L	3/4"	1/2"	27	48	12.2	72	240	**3480**
AMJ10MG06L	**7/8"**	**3/8"**	**24**	**53**	**10.2**	**74**	**240**	**3480**
AMJ10MG08L	7/8"	1/2"	27	53	12.2	77	240	**3480**
AMJ10MG12L	**7/8"**	**3/4"**	**36**	**53**	**14.2**	**80**	**240**	**3480**
AMJ12MG08L	1".1/16	1/2"	30	63	12.2	87	240	3480
AMJ12MG12L	**1".1/16**	**3/4"**	**36**	**63**	**14.2**	**90**	**240**	**3480**
AMJ12MG16L	1".1/16	1"	41	63	15.4	93	210	**3045**
AMJ16MG12L	**1".5/16**	**3/4"**	**36**	**72**	**14.2**	**99**	**210**	**3045**

LONG CONNECTOR MALE JIC - MALE BSPP FORM E (2)



PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO GAS CILINDRICO FORMA E DIN
PROLONGATEUR MÂLE JIC – MÂLE BSPP FORME E
VERLÄNGERUNG AG-JIC / AG- ZÖLLIG FORM E
PROLONGADOR MACHO JIC - MACHO BSPP FORMA E

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ16MG16L	1".5/16	1"	41	72	15.4	102	210	3045
AMJ16MG20L	**1".5/16**	**1".1/4**	**50**	**72**	**17.4**	**106**	**210**	**3045**
AMJ20MG16L	1".5/8	1"	46	88	15.4	119	170	2465
AMJ20MG20L	**1".5/8**	**1".1/4**	**50**	**88**	**17.4**	**122**	**170**	**2465**
AMJ24MG20L	1".7/8	1".1/4	50	98	17.4	132	140	2030
AMJ24MG24L	**1".7/8**	**1".1/2**	**55**	**98**	**19.4**	**135**	**140**	**2030**

ADAPTOR MALE JIC – FEMALE BSPP



ADATTATORE DIRITTO - MASCHIO JIC - FEMMINA GAS CILINDRICA
ADAPTER MÂLE JIC – FEMELLE BSPP
ADAPTER AG-JIC / IG- ZÖLLIG
ADAPTADOR MACHO JIC – HEMBRA BSPP

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L	PN	
			mm	mm	mm	Bar	Psi
AMJ04FFG02	7/16"	1/8"	14	14	30	345	5003
AMJ04FFG04	**7/16"**	**1/4"**	**19**	**14**	**35**	**345**	**5003**
AMJ05FFG02	1/2"	1/8"	14	14	30	345	5003
AMJ05FFG04	**1/2"**	**1/4"**	**19**	**14**	**35**	**345**	**5003**
AMJ06FFG04	9/16"	1/4"	19	14.1	35	345	5003
AMJ06FFG06	**9/16"**	**3/8"**	**22**	**14.1**	**36**	**310**	**4495**
AMJ08FFG04	3/4"	1/4"	22	16.7	39	310	4495
AMJ08FFG06	**3/4"**	**3/8"**	**22**	**16.7**	**39**	**310**	**4495**
AMJ08FFG08	3/4"	1/2"	30	16.7	43	240	3480
AMJ10FFG08	**7/8"**	**1/2"**	**30**	**19.3**	**45.5**	**240**	**3480**
AMJ12FFG08	1".1/16	1/2"	30	21.9	48	240	3480
AMJ12FFG12	**1".1/16**	**3/4"**	**36**	**21.9**	**51**	**240**	**3480**
AMJ16FFG16	1".5/16	1"	41	23.1	54	210	3045
AMJ20FFG16	**1".5/8**	**1"**	**46**	**24.3**	**55.5**	**170**	**2465**
AMJ20FFG20	1".5/8	1".1/4	50	24.3	60.5	170	2465
AMJ24FFG20	**1".7/8**	**1".1/4**	**50**	**27.5**	**64**	**140**	**2030**
AMJ24FFG24	1".7/8	1".1/2	60	27.5	65.5	140	2030

90° ADAPTOR MALE JIC – FEMALE BSPP



GOMITO 90° - MASCHIO JIC - FEMMINA BSPP
ADAPTATEUR COUDE 90° MÂLE JIC – FEMELLE BSPP
ADAPTER 90° GSK – AG-JIC / IG-ZÖLLIG
CODO 90° MACHO JIC – HEMBRA BSPP

F1 - JIC
F1 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04FFG02	7/16"	1/8"	14	27.5	17	345	5003
LMJ04FFG04	**7/16"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
LMJ05FFG02	1/2"	1/8"	14	27.5	17	345	5003
LMJ05FFG04	**1/2"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
LMJ06FFG02	9/16"	1/8"	14	27.5	17	345	5003
LMJ06FFG04	**9/16"**	**1/4"**	**19**	**31**	**22.5**	**345**	**5003**
LMJ06FFG06	9/16"	3/8"	22	31.5	26	310	4495
LMJ08FFG04	**3/4"**	**1/4"**	**19**	**32**	**22.5**	**310**	**4495**
LMJ08FFG06	3/4"	3/8"	22	36	26	310	4495
LMJ10FFG08	**7/8"**	**1/2"**	**27**	**42**	**31**	**240**	**3480**
LMJ12FFG08	1".1/16	1/2"	27	42	31	240	3480
LMJ12FFG12	**1".1/16**	**3/4"**	**33**	**48**	**34.5**	**240**	**3480**
LMJ16FFG16	1".5/16	1"	41	55	41	210	3045
LMJ20FFG16	**1".5/8**	**1"**	**41**	**52.5**	**41**	**170**	**2465**

RUN TEE MALE JIC - FEMALE BSPP



ADATTATORE "T" - MASCHIO JIC - FEMMINA BSPP AL BRACCIO
ADAPTATEUR TÉ RENVERSÉ MÂLE JIC - FEMELLE BSPP
ADAPTER T-STÜCK 2 X AG-JIC / 1 X IG- ZÖLLIG (ARM)
ADAPTADOR TE MACHO JIC – HEMBRA BSPP

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04FFG02B	7/16"	1/8"	14	27.5	17	345	5003
TMJ04FFG04B	**7/16"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
TMJ05FFG02B	1/2"	1/8"	-	-	-	310	4495
TMJ05FFG04B	**1/2"**	**1/4"**	**14**	**27.5**	**17**	**345**	**5003**
TMJ06FFG04B	9/16"	1/4"	19	29	22.5	345	5003
TMJ06FFG06B	**9/16"**	**3/8"**	**19**	**31**	**22.5**	**345**	**5003**
TMJ06FFG08B	9/16"	1/2"	22	31.5	26	310	4495
TMJ08FFG04B	**3/4"**	**1/4"**	**19**	**32**	**22.5**	**310**	**4495**
TMJ08FFG06B	3/4"	3/8"	22	36	26	310	4495
TMJ08FFG08B	**3/4"**	**1/2"**	**27**	**36**	**31**	**240**	**3480**
TMJ10FFG08B	7/8"	1/2"	27	42	31	240	3480
TMJ12FFG08B	**1".1/16**	**1/2"**	**27**	**42**	**31**	**240**	**3480**
TMJ12FFG12B	1".1/16	3/4"	33	48	34.5	240	3480
TMJ16FFG16B	**1".5/16**	**1"**	**41**	**55**	**41**	**210**	**3045**
TMJ20FFG16B	1".5/8	1"	41	55	41	170	2465

BRANCH TEE MALE JIC – FEMALE BSPP



ADATTATORE "T" - MASCHIO JIC - FEMMINA BSPP AL PIEDE
ADAPTATEUR TÉ MÂLE JIC - FEMELLE BSPP
ADAPTER T-STÜCK 2 X AG-JIC / 1 X IG- ZÖLLIG (FUSS)
ADAPTADOR TE MACHO JIC– HEMBRA BSPP

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04FFG02P	7/16"	1/8"	14	27.5	17	345	5003
TMJ04FFG04P	**7/16"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
TMJ04FFG06P	7/16"	3/8"	-	-	-	310	4495
TMJ05FFG02P	**1/2"**	**1/8"**	**14**	**27.5**	**17**	**345**	**5003**
TMJ05FFG04P	1/2"	1/4"	19	29	22.5	345	5003
TMJ06FFG04P	**9/16"**	**1/4"**	**19**	**31**	**22.5**	**345**	**5003**
TMJ06FFG06P	9/16"	3/8"	22	31.5	26	310	4495
TMJ08FFG04P	**3/4"**	**1/4"**	**19**	**32**	**22.5**	**310**	**4495**
TMJ08FFG06P	3/4"	3/8"	22	36	26	310	4495
TMJ08FFG08P	**3/4"**	**1/2"**	**-**	**-**	**-**	**240**	**3480**
TMJ10FFG08P	7/8"	1/2"	27	42	31	240	3480
TMJ12FFG08P	**1".1/16**	**1/2"**	**27**	**42**	**31**	**240**	**3480**
TMJ12FFG12P	1".1/16	3/4"	33	48	34.5	240	3480
TMJ16FFG16P	**1".5/16**	**1"**	**41**	**55**	**41**	**210**	**3045**
TMJ20FFG16P	1".5/8	1"	41	57	41	170	2465

ADAPTOR SWIVEL FEMALE JIC - MALE BSPP FORM E (1)



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO GAS CILINDRICO FORMA E DIN 3852
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE BSPP FORME E
ADAPTER IG-JIC DREHBAR / AGR-F FORM E
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO BSPP FORMA E

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ04MG02R	7/16"	1/8"	14	15	8	34		310	4495
AFGJ04MG04R	**7/16"**	**1/4"**	**19**	**15**	**12**	**37.5**		**275**	**3988**
AFGJ04MG06R	7/16"	3/8"	22	15	12	39.5		275	3988
AFGJ05MG02R	**1/2"**	**1/8"**	**14**	**17**	**8**	**35.5**		**275**	**3988**
AFGJ05MG04R	1/2"	1/4"	19	17	12	39		275	3988
AFGJ05MG06R	**1/2"**	**3/8"**	**22**	**17**	**12**	**41**		**210**	**3045**
AFGJ06MG04R	9/16"	1/4"	19	19	12	39.8		275	3988
AFGJ06MG06R	**9/16"**	**3/8"**	**22**	**19**	**12**	**41.8**		**210**	**3045**
AFGJ06MG08R	9/16"	1/2"	27	19	14	45.3		210	3045
AFGJ08MG04R	**3/4"**	**1/4"**	**19**	**24**	**12**	**42.1**		**275**	**3988**
AFGJ08MG06R	3/4"	3/8"	22	24	12	44.1		275	3988
AFGJ08MG08R	**3/4"**	**1/2"**	**27**	**24**	**14**	**47.6**		**210**	**3045**
AFGJ10MG06R	7/8"	3/8"	22	27	12	48.1		210	3045
AFGJ10MG08R	**7/8"**	**1/2"**	**27**	**27**	**14**	**51.6**		**210**	**3045**
AFGJ10MG12R	7/8"	3/4"	32	27	16	55.1		210	3045
AFGJ12MG08R	**1".1/16**	**1/2"**	**27**	**32**	**14**	**51.7**	*	**210**	**3045**
AFGJ12MG12R	1".1/16	3/4"	32	32	16	55.2	*	210	3045
AFGJ12MG16R	**1".1/16**	**1"**	**41**	**32**	**18**	**58.7**	*	**170**	**2465**
AFGJ16MG12R	1".5/16	3/4"	32	41	16	58.9	*	170	2465

* **Thrust-wire nut**
Dado spinato

ADAPTOR SWIVEL FEMALE JIC - MALE BSPP FORM E (2)



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO GAS CILINDRICO FORMA E DIN 3852
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE BSPP FORME E
ADAPTER IG-JIC DREHBAR / AGR-F FORM E
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO BSPP FORMA E

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ16MG16R	1".5/16	1"	41	41	18	62	*	170	2465
AFGJ16MG20R	**1".5/16**	**1".1/4**	**50**	**41**	**20**	**66.9**	*	**170**	**2465**
AFGJ20MG16R	1".5/8	1"	41	50	18	62.8	*	140	2030
AFGJ20MG20R	**1".5/8**	**1".1/4**	**50**	**50**	**20**	**67.3**	*	**140**	**2030**
AFGJ24MG20R	1".7/8	1".1/4	50	55	20	74.3	*	105	1523
AFGJ24MG24R	**1".7/8**	**1".1/2**	**55**	**55**	**26**	**77.5**	*	**105**	**1523**

* **Thrust-wire nut**
Dado spinato

ADAPTER FOR PRESSURE CONNECTION



Y: Version with swivel-nut
Versione con dado girevole



X: Version with fixed nut
Versione con dado fisso

CONNESSIONE PER PRESA DI PRESSIONE JIC-BSPP
ADAPTATEUR POUR CONNEXION DE PRESSION
ADAPTER FÜR DRUCKANSCHLUSS
ADAPTADOR POR CONEXIÓN DE PRESIÓN

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L	Form	PN	
			mm	mm		Bar	Psi
AFFG04FJ04	7/16"	1/4"	19	31	X	310	4495
AFFG04FJ05	**1/2"**	**1/4"**	**19**	**31**	**X**	**275**	**3988**
AFFG04FJ06	9/16"	1/4"	19	31	X	275	3988
AFFG04FJ08	**3/4"**	**1/4"**	**22**	**33**	**X**	**275**	**3988**
AFFG04FJ10	7/8"	1/4"	27	24.6	Y	210	3045
AFFG04FJ12	**1".1/16**	**1/4"**	**32**	**25.9**	**Y**	**210**	**3045**
AFFG04FJ16	1".5/16	1/4"	41	28.4	Y	170	2465
AFFG04FJ20	**1".5/8**	**1/4"**	**50**	**31**	**Y**	**140**	**2030**
AFFG04FJ24	1".7/8	1/4"	60	35.8	Y	105	1523

ADAPTOR MALE JIC - METRIC MALE FORM E



ADATTATORE DIRITTO MASCHIO JIC - MASCHIO METRICO FORMA E DIN 3852
ADAPTATEUR MÂLE JIC - MÂLE MÉTRIQUE FORME E
ADAPTER AG-JIC / AG-METRISCH FORM E
ADAPTADOR MACHO JIC - MACHO MÉTRICO FORMA E

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MM10R	7/16"	10X1	14	14	9.5	29	345	5003
AMJ04MM12R	**7/16"**	**12X1,5**	**17**	**14**	**12**	**33**	**345**	**5003**
AMJ05MM10R	1/2"	10X1	14	14	8	29	345	5003
AMJ05MM12R	**1/2"**	**12X1,5**	**17**	**14**	**14**	**33**	**345**	**5003**
AMJ05MM14R	1/2"	14X1,5	19	14	12	33	310	4495
AMJ06MM14R	**9/16"**	**14X1,5**	**19**	**14.1**	**12**	**33**	**310**	**4495**
AMJ06MM16R	9/16"	16X1,5	22	14.1	12	33.5	240	3480
AMJ08MM14R	**3/4"**	**14X1,5**	**19**	**16.7**	**12**	**36**	**310**	**4495**
AMJ08MM16R	3/4"	16X1,5	22	16.7	12	36	240	3480
AMJ08MM18R	**3/4"**	**18X1,5**	**24**	**16.7**	**12**	**37.5**	**240**	**3480**
AMJ10MM18R	7/8"	18X1,5	24	19.3	12	40	240	3480
AMJ10MM20R	**7/8"**	**20X1,5**	**27**	**19.3**	**14**	**43**	**240**	**3480**
AMJ10MM22R	7/8"	22X1,5	27	19.3	14	43.5	240	3480
AMJ12MM22R	**1".1/16**	**22X1,5**	**30**	**21.9**	**14**	**46.5**	**240**	**3480**
AMJ12MM27R	1".1/16	27X2	32	21.9	16	48.5	240	3480
AMJ16MM27R	**1".5/16**	**27X2**	**36**	**23.1**	**16**	**50.5**	**210**	**3045**
AMJ16MM33R	1".5/16	33X2	41	23.1	18	52.5	210	3045
AMJ20MM42R	**1".5/8**	**42X2**	**50**	**24.3**	**20**	**58**	**170**	**2465**
AMJ24MM48R	1".7/8	48X2	55	27.5	22	63.5	140	2030

ADAPTOR MALE JIC - METRIC MALE 60° CONE



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO METRICO SV 60
ADAPTATEUR MÂLE JIC - MÂLE MÉTRIQUE CÔNE 60°
ADAPTER AG-JIC / AG-METRISCH MIT 60° KONUS
ADAPTADOR MACHO JIC - MACHO MÉTRICO CONO 60°

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MM10	7/16"	10X1	14	14	9	30	345	5003
AMJ04MM12	**7/16"**	**12X1,5**	**17**	**14**	**11**	**33**	**345**	**5003**
AMJ05MM10	1/2"	10X1	14	14	9	30	345	5003
AMJ05MM12	**1/2"**	**12X1,5**	**17**	**14**	**11**	**33**	**345**	**5003**
AMJ05MM14	1/2"	14X1,5	19	14	11	34	310	4495
AMJ06MM14	**9/16"**	**14X1,5**	**19**	**14.1**	**11**	**34.1**	**310**	**4495**
AMJ06MM16	9/16"	16X1,5	22	14.1	12.5	35.1	240	3480
AMJ08MM14	**3/4"**	**14X1,5**	**19**	**16.7**	**11**	**38**	**310**	**4495**
AMJ08MM16	3/4"	16X1,5	22	16.7	12.5	38	240	3480
AMJ08MM18	**3/4"**	**18X1,5**	**24**	**16.7**	**13.5**	**39.5**	**240**	**3480**
AMJ10MM18	7/8"	18X1,5	24	19.3	13.5	42	240	3480
AMJ10MM20	**7/8"**	**20X1,5**	**27**	**19.3**	**15**	**44.5**	**240**	**3480**
AMJ10MM22	7/8"	22X1,5	27	19.3	15	44.5	240	3480
AMJ12MM22	**1".1/16**	**22X1,5**	**30**	**21.9**	**15**	**48**	**240**	**3480**
AMJ12MM27	1".1/16	27X2	32	21.9	18.5	52	240	3480
AMJ16MM27	**1".5/16**	**27X2**	**36**	**23.1**	**18.5**	**53**	**210**	**3045**
AMJ16MM33	1".5/16	33X2	41	23.1	18.5	53	210	3045
AMJ20MM42	**1".5/8**	**42X2**	**50**	**24.3**	**19**	**58**	**170**	**2465**
AMJ24MM48	1".7/8	48X2	55	27.5	22	65.5	140	2030

LONG CONNECTOR MALE JIC - METRIC MALE 60° CONE



PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO METRICO SV 60°
PROLONGATEUR MÂLE JIC – MÂLE MÉTRIQUE CÔNE 60°
VERLÄNGERUNG AG-JIC / AG- METRISCH MIT 60° KONUS
PROLONGADOR MACHO JIC – MACHO MÉTRICO CONO 60°

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MM10L	7/16"	10X1	14	35	9	51	350	5075
AMJ05MM10L	**1/2"**	**10X1**	**14**	**37**	**9**	**53**	**350**	**5075**
AMJ05MM12L	1/2"	12X1.5	17	37	11	55.5	350	5075
AMJ05MM14L	**1/2"**	**14X1.5**	**19**	**37**	**11**	**56.5**	**350**	**5075**
AMJ06MM14L	9/16"	14X1.5	19	39	11	58.5	350	5075
AMJ06MM16L	**9/16"**	**16X1.5**	**22**	**39**	**12.5**	**60**	**350**	**5075**
AMJ08MM16L	3/4"	16X1.5	22	48	12.5	69	350	5075
AMJ08MM18L	**3/4"**	**18X1.5**	**24**	**48**	**13.5**	**70.5**	**350**	**5075**
AMJ10MM18L	7/8"	18X1.5	24	53	13.5	75.5	350	5075
AMJ10MM22L	**7/8"**	**22X1.5**	**27**	**53**	**15**	**78**	**315**	**4568**
AMJ12MM22L	1".1/16	22X1.5	27	63	15	89	315	4568
AMJ12MM27L	**1".1/16**	**27X2**	**32**	**63**	**18.5**	**92.5**	**315**	**4568**
AMJ16MM27L	1".5/16	27X2	36	72	18.5	102	280	4060
AMJ16MM33L	**1".5/16**	**33X2**	**41**	**72**	**18.5**	**102.5**	**280**	**4060**
AMJ20MM42L	1".5/8	42X2	50	88	19	121	240	3480
AMJ24MM48L	**1".7/8**	**48X2**	**55**	**98**	**22**	**136**	**240**	**3480**

LONG CONNECTOR MALE JIC - METRIC MALE FORM E



PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO METRICO FORMA E DIN 3852
PROLONGATEUR MÂLE JIC – MÂLE MÉTRIQUE FORME E
VERLÄNGERUNG AG-JIC / AG- METRISCH FORM E
PROLONGADOR MACHO JIC – MACHO MÉTRICO FORMA E

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MM10RL	7/16"	10X1	14	35	7.5	50.5	350	5075
AMJ05MM10RL	**1/2"**	**10X1**	**14**	**37**	**7.5**	**53**	**350**	**5075**
AMJ05MM12RL	1/2"	12X1.5	17	37	9.6	55	350	5075
AMJ05MM14RL	**1/2"**	**14X1.5**	**19**	**37**	**9.6**	**55**	**350**	**5075**
AMJ06MM14RL	9/16"	14X1.5	19	39	9.6	57	350	5075
AMJ06MM16RL	**9/16"**	**16X1.5**	**22**	**39**	**11.1**	**60**	**350**	**5075**
AMJ08MM16RL	3/4"	16X1.5	22	48	11.1	69	350	5075
AMJ08MM18RL	**3/4"**	**18X1.5**	**24**	**48**	**12.6**	**71**	**350**	**5075**
AMJ10MM18RL	7/8"	18X1.5	24	53	12.6	76	350	5075
AMJ10MM22RL	**7/8"**	**22X1.5**	**27**	**53**	**13.6**	**78**	**315**	**4568**
AMJ12MM22RL	1".1/16	22X1.5	27	63	13.6	88	315	4568
AMJ12MM27RL	**1".1/16**	**27X2**	**32**	**63**	**16.5**	**92**	**315**	**4568**
AMJ16MM27RL	1".5/16	27X2	36	72	16.5	101	280	4060
AMJ16MM33RL	**1".5/16**	**33X2**	**41**	**72**	**16.5**	**102**	**280**	**4060**
AMJ20MM42RL	1".5/8	42X2	50	88	17	121	240	3480
AMJ24MM48RL	**1".7/8**	**48X2**	**55**	**98**	**19.5**	**134**	**240**	**3480**

ADAPTOR SWIVEL FEMALE JIC - METRIC MALE FORM E



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO METRICO FORMA E DIN 3852
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE MÉTRIQUE FORME E
ADAPTER IG-JIC DREHBAR / AG METRISCH FORM E
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO MÉTRICO FORMA E

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métricocilìndrica

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ04MM10R	7/16"	10X1	14	15	8	34.5		310	4495
AFGJ04MM12R	**7/16"**	**12X1,5**	**17**	**15**	**8**	**34.5**		**275**	**3988**
AFGJ05MM10R	1/2"	10X1	14	17	8	34.5		275	3988
AFGJ05MM12R	**1/2"**	**12X1,5**	**17**	**17**	**8**	**39**		**275**	**3988**
AFGJ05MM14R	1/2"	14X1,5	19	17	12	38		275	3988
AFGJ06MM14R	**9/16"**	**14X1,5**	**19**	**19**	**12**	**38.8**		**275**	**3988**
AFGJ06MM16R	9/16"	16X1,5	22	19	12	39.3		210	3045
AFGJ08MM16R	**3/4"**	**16X1,5**	**22**	**24**	**12**	**41.6**		**275**	**3988**
AFGJ08MM18R	3/4"	18X1,5	24	24	12	42.6		275	3988
AFGJ10MM18R	**7/8"**	**18X1,5**	**24**	**27**	**12**	**46.6**		**210**	**3045**
AFGJ10MM20R	7/8"	20X1,5	27	27	14	49.6		210	3045
AFGJ10MM22R	**7/8"**	**22X1,5**	**27**	**27**	**14**	**50.1**		**210**	**3045**
AFGJ12MM22R	1".1/16	22X1,5	27	32	14	50.2	*	210	3045
AFGJ12MM27R	**1".1/16**	**27X2**	**32**	**32**	**16**	**52.7**	*	**210**	**3045**
AFGJ16MM27R	1".5/16	27X2	32	41	16	56.4	*	170	2465
AFGJ16MM33R	**1".5/16**	**33X2**	**41**	**41**	**18**	**59.4**	*	**170**	**2465**
AFGJ20MM42R	1".5/8	42X2	50	50	20	63.8	*	140	2030
AFGJ24MM48R	**1".7/8**	**48X2**	**55**	**55**	**22**	**73.3**	*	**105**	**1523**

* **Thrust-wire nut**
Dado spinato

ADAPTOR SWIVEL FEMALE JIC - METRIC MALE 60° CONE



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO METRICO SV 60°
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE MÉTRIQUE CÔNE 60°
ADAPTER IG-JIC DREHBAR / AG METRISCH MIT 60° KONUS)
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO MÉTRICO CONO 60°

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ04MM10	7/16"	10X1	14	15	9	34.5		310	4495
AFGJ04MM12	**7/16"**	**12X1,5**	**17**	**15**	**11**	**36.5**		**275**	**3988**
AFGJ05MM10	1/2"	10X1	14	17	9	36.5		275	3988
AFGJ05MM12	**1/2"**	**12X1,5**	**17**	**17**	**11**	**39**		**275**	**3988**
AFGJ05MM14	1/2"	14X1,5	19	17	11	40		275	3988
AFGJ06MM14	**9/16"**	**14X1,5**	**19**	**19**	**11**	**41**		**275**	**3988**
AFGJ06MM16	9/16"	16X1,5	22	19	12.5	42.5		210	3045
AFGJ08MM16	**3/4"**	**16X1,5**	**22**	**24**	**12.5**	**44**		**275**	**3988**
AFGJ08MM18	3/4"	18X1,5	24	24	13.5	45.5		275	3988
AFGJ10MM18	**7/8"**	**18X1,5**	**24**	**27**	**13.5**	**48.5**		**210**	**3045**
AFGJ10MM20	7/8"	20X1,5	27	27	15	51		210	3045
AFGJ10MM22	**7/8"**	**22X1,5**	**27**	**27**	**15**	**51**		**210**	**3045**
AFGJ12MM22	1".1/16	22X1,5	27	32	15	53.5	*	210	3045
AFGJ12MM27	**1".1/16**	**27X2**	**32**	**32**	**18.5**	**57.5**	*	**210**	**3045**
AFGJ16MM27	1".5/16	27X2	32	41	18.5	60	*	170	2465
AFGJ16MM33	**1".5/16**	**33X2**	**41**	**41**	**18.5**	**61**	*	**170**	**2465**
AFGJ20MM42	1".5/8	42X2	50	50	19	66	*	140	2030
AFGJ24MM48	**1".7/8**	**48X2**	**55**	**55**	**22**	**76**	*	**105**	**1523**

* **Thrust-wire nut**
Dado spinato

ADAPTOR MALE JIC - MALE UNF (1)



ADATTATORE DIRITTO - MASCHIO JIC - MACHIO UNF
ADAPTATEUR MÂLE JIC - MÂLE UNF
ADAPTER AG-JIC / AG-UNF
ADAPTADOR MACHO-MACHO UNF -JIC

F1 - JIC
F2 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MU04	7/16"	7/16"	14	14	9.1	31	345	5003
AMJ04MU05	**7/16"**	**1/2"**	**17**	**14**	**9.1**	**31**	**345**	**5003**
AMJ04MU06	7/16"	9/16"	17	14	10	33	345	5003
AMJ04MU08	**7/16"**	**3/4"**	**22**	**14**	**11.1**	**35**	**310**	**4495**
AMJ05MU05	1/2"	1/2"	17	14	9.1	31	345	5003
AMJ05MU06	**1/2"**	**9/16"**	**17**	**14**	**10**	**33**	**345**	**5003**
AMJ06MU04	9/16"	7/16"	17	14.1	9.1	32	345	5003
AMJ06MU05	**9/16"**	**1/2"**	**17**	**14.1**	**9.1**	**32**	**345**	**5003**
AMJ06MU06	9/16"	9/16"	17	14.1	10	33	345	5003
AMJ06MU08	**9/16"**	**3/4"**	**22**	**14.1**	**11.1**	**35**	**310**	**4495**
AMJ06MU10	9/16"	7/8"	27	14.1	12.7	38	240	3480
AMJ08MU06	**3/4"**	**9/16"**	**22**	**16.7**	**10**	**36.5**	**310**	**4495**
AMJ08MU08	3/4"	3/4"	22	16.7	11.1	37.6	310	4495
AMJ08MU10	**3/4"**	**7/8"**	**27**	**16.7**	**12.7**	**40.5**	**240**	**3480**
AMJ08MU12	3/4"	1".1/16	32	16.7	15.1	45	240	3480
AMJ10MU08	**7/8"**	**3/4"**	**24**	**19.3**	**11.1**	**41.5**	**240**	**3480**
AMJ10MU10	7/8"	7/8"	27	19.3	12.7	43	240	3480
AMJ10MU12	**7/8"**	**1".1/16**	**32**	**19.3**	**15.1**	**47.5**	**240**	**3480**
AMJ12MU08	1".1/16	3/4"	30	21.9	11.5	45	240	3480

ADAPTOR MALE JIC - MALE UNF (2)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO UNF
ADAPTATEUR MÂLE JIC - MÂLE UNF
ADAPTER AG-JIC / AG-UNF
ADAPTADOR MACHO JIC-MACHO UNF

F1 - JIC
F2 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ12MU10	1".1/16	7/8"	30	21.9	12.7	46.5	240	3480
AMJ12MU12	**1".1/16**	**1".1/16**	**32**	**21.9**	**15.1**	**50**	**240**	**3480**
AMJ12MU16	1".1/16	1".5/16	41	21.9	15.1	50.5	210	3045
AMJ16MU10	**1".5/16**	**7/8"**	**36**	**23.1**	**12.7**	**49**	**210**	**3045**
AMJ16MU12	1".5/16	1".1/16	36	23.1	15.1	51.5	210	3045
AMJ16MU16	**1".5/16**	**1".5/16**	**41**	**23.1**	**15.1**	**51.5**	**210**	**3045**
AMJ16MU20	1".5/16	1".5/8	50	23.1	15.1	54	170	2465
AMJ20MU16	**1".5/8**	**1".5/16**	**46**	**24.3**	**15.1**	**54**	**170**	**2465**
AMJ20MU20	1".5/8	1".5/8	50	24.3	15.1	55	170	2465
AMJ24MU20	**1".7/8**	**1".5/8**	**50**	**27.5**	**15.1**	**58**	**140**	**2030**
AMJ24MU24	1".7/8	1".7/8	55	27.5	15.1	60	140	2030

LONG CONNECTOR MALE JIC - MALE UNF



PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO UNF
PROLONGATEUR MÂLE JIC – MÂLE UNF
VERLÄNGERUNG AG-JIC / AG- UNF
PROLONGADOR MACHO JIC – MACHO UNF

F1 - JIC
F2 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MU04L	7/16"	7/16"	14	35	9.1	52	345	5003
AMJ04MU05L	**7/16"**	**1/2"**	**17**	**35**	**9.1**	**52**	**345**	**5003**
AMJ04MU06L	7/16"	9/16"	17	35	10	53	345	5003
AMJ05MU05L	**1/2"**	**1/2"**	**17**	**37**	**9.1**	**54**	**345**	**5003**
AMJ06MU06L	9/16"	9/16"	17	39	10	58	345	5003
AMJ06MU08L	**9/16"**	**3/4"**	**22**	**39**	**11.1**	**60**	**310**	**4495**
AMJ08MU08L	3/4"	3/4"	22	48	11.1	69	310	4495
AMJ08MU10L	**3/4"**	**7/8"**	**27**	**48**	**12.7**	**72**	**240**	**3480**
AMJ08MU12L	3/4"	1".1/16	32	48	15.1	76	240	3480
AMJ10MU08L	**7/8"**	**3/4"**	**24**	**48**	**11.1**	**75**	**240**	**3480**
AMJ10MU10L	7/8"	7/8"	27	53	12.7	79	240	3480
AMJ10MU12L	**7/8"**	**1".1/16**	**32**	**53**	**15.1**	**81**	**240**	**3480**
AMJ12MU08L	1".1/16	3/4"	30	53	11.1	86	240	3480
AMJ12MU10L	**1".1/16**	**7/8"**	**30**	**63**	**12.7**	**88**	**240**	**3480**
AMJ12MU12L	1".1/16	1".1/16	32	63	15.1	91	240	3480
AMJ12MU16L	**1".1/16**	**1".5/16**	**41**	**63**	**15.1**	**92**	**210**	**3045**
AMJ16MU12L	1".5/16	1".1/16	36	72	15.1	100	210	3045
AMJ16MU16L	**1".5/16**	**1".5/16**	**41**	**72**	**15.1**	**100.5**	**210**	**3045**
AMJ16MU20L	1".5/16	1".5/8	50	72	15.1	103	170	2465
AMJ20MU20L	**1".5/8**	**1".5/8**	**50**	**88**	**15.1**	**119**	**170**	**2465**
AMJ24MU24L	1".7/8	1".7/8	55	98	15.1	130	140	2030

ADAPTOR SWIVEL FEMALE JIC - MALE UNF



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO UNF
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE UNF
ADAPTER IG-JIC DREHBAR / AG - UNF
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO UNF

F1 - JIC
F2 - UNF

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ04MU04	7/16"	7/16"	15	14	9.1	34.5		310	4495
AFGJ04MU05	**7/16"**	**1/2"**	**15**	**17**	**9.1**	**34.5**		**275**	**3988**
AFGJ04MU06	7/16"	9/16"	15	17	10	36.5		275	3988
AFGJ05MU05	**1/2"**	**1/2"**	**17**	**17**	**9.1**	**36**		**275**	**3988**
AFGJ06MU06	9/16"	9/16"	19	17	10	38.8		275	3988
AFGJ06MU08	**9/16"**	**3/4"**	**19**	**22**	**11.1**	**40.8**		**275**	**3988**
AFGJ08MU08	3/4"	3/4"	24	22	11.1	43.1		275	3988
AFGJ08MU10	**3/4"**	**7/8"**	**24**	**27**	**12.7**	**46.1**		**210**	**3045**
AFGJ08MU12	3/4"	1".1/16	24	32	15.1	50.1		210	3045
AFGJ10MU08	**7/8"**	**3/4"**	**27**	**22**	**11.1**	**47.1**		**210**	**3045**
AFGJ10MU10	7/8"	7/8"	27	27	12.7	50.1		210	3045
AFGJ10MU12	**7/8"**	**1".1/16**	**27**	**32**	**15.1**	**54.1**		**210**	**3045**
AFGJ12MU08	1".1/16	3/4"	32	27	11.1	48.7	*	210	3045
AFGJ12MU10	**1".1/16**	**7/8"**	**32**	**27**	**12.7**	**50.2**	*	**210**	**3045**
AFGJ12MU12	1".1/16	1".1/16	32	32	15.1	54.1	*	210	3045
AFGJ12MU16	**1".1/16**	**1".5/16**	**32**	**41**	**15.1**	**54.7**	*	**170**	**2465**
AFGJ16MU12	1".5/16	1".1/16	41	32	15.1	57.9	*	170	2465
AFGJ16MU16	**1".5/16**	**1".5/16**	**41**	**41**	**15.1**	**54.7**	*	**170**	**2465**
AFGJ16MU20	1".5/16	1".5/8	41	50	15.1	60.4	*	140	2030
AFGJ20MU20	**1".5/8**	**1".5/8**	**50**	**50**	**15.1**	**60.8**	*	**140**	**2030**
AFGJ24MU24	1".7/8	1".7/8	55	55	15.1	69.8	*	105	1523

* **Thrust-wire nut**
Dado spinato

ADAPTOR MALE JIC - MALE BSPT (1)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CONICO
ADAPTATEUR MÂLE JIC - MÂLE BSPT
ADAPTER AG- JIC / AGR-K
ADAPTADOR MACHO JIC -MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MGK02	7/16"	1/8"	14	14	10	31	345	5003
AMJ04MGK04	**7/16"**	**1/4"**	**14**	**14**	**14.5**	**35.5**	**345**	**5003**
AMJ05MGK02	1/2"	1/8"	14	14	10	31	345	5003
AMJ05MGK04	**1/2"**	**1/4"**	**14**	**14**	**14.5**	**35.5**	**345**	**5003**
AMJ06MGK02	9/16"	1/8"	17	14.1	10	32	345	5003
AMJ06MGK04	**9/16"**	**1/4"**	**17**	**14.1**	**14.5**	**36.5**	**345**	**5003**
AMJ06MGK06	9/16"	3/8"	17	14.1	14.5	36.5	310	4495
AMJ06MGK08	**9/16"**	**1/2"**	**22**	**14.1**	**19**	**41**	**240**	**3480**
AMJ08MGK04	3/4"	1/4"	22	16.7	14.5	39	310	4495
AMJ08MGK06	**3/4"**	**3/8"**	**22**	**16.7**	**14.5**	**39**	**310**	**4495**
AMJ08MGK08	3/4"	1/2"	22	16.7	19	43.5	240	3480
AMJ08MGK12	**3/4"**	**3/4"**	**27**	**16.7**	**19**	**46**	**240**	**3480**
AMJ10MGK06	7/8"	3/8"	24	19.3	14.5	43.5	240	3480
AMJ10MGK08	**7/8"**	**1/2"**	**24**	**19.6**	**19**	**48**	**240**	**3480**
AMJ10MGK12	7/8"	3/4"	27	19.3	19	48.5	240	3480
AMJ12MGK08	**1".1/16**	**1/2"**	**30**	**21.9**	**19**	**52.5**	**240**	**3480**
AMJ12MGK12	1".1/16	3/4"	30	21.9	19	52.5	240	3480
AMJ12MGK16	**1".1/16**	**1"**	**36**	**21.9**	**24**	**57.5**	**210**	**3045**
AMJ16MGK12	1".5/16	3/4"	36	23.1	19	53.5	210	3045
AMJ16MGK16	**1".5/16**	**1"**	**36**	**23.1**	**24**	**58.5**	**210**	**3045**

ADAPTOR MALE JIC - MALE BSPT (2)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CONICO
ADAPTATEUR MÂLE JIC - MÂLE BSPT
ADAPTER AG- JIC / AGR-K
ADAPTADOR MACHO JIC -MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gage-winde, Rosca cònica

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ20MGK16	1".5/8	1"	46	24.3	24	61.5	170	2465
AMJ20MGK20	**1".5/8**	**1".1/4**	**46**	**24.3**	**25**	**62**	**170**	**2465**
AMJ24MGK20	1".7/8	1".1/4	50	27.5	25	67.5	140	2030
AMJ24MGK24	**1".7/8**	**1".1/2**	**50**	**27.5**	**26**	**68**	**140**	**2030**

90° ADAPTOR MALE JIC - MALE BSPT (1)



GOMITO 90° - MASCHIO JIC - MASCHIO GAS CONICO
ADAPTATEUR COUDE 90° MÂLE JIC – MÂLE BSPT
ADAPTER 90° GSK – AG-JIC / AGR- K VERLÄNGERUNG
CODO 90° MACHO JIC – MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04MGK02	7/16"	1/8"	14	23.5	20	345	5003
LMJ04MGK04	**7/16"**	**1/4"**	**14**	**24.5**	**28**	**345**	**5003**
LMJ05MGK02	1/2"	1/8"	14	25	20	345	5003
LMJ05MGK04	**1/2"**	**1/4"**	**14**	**25**	**28**	**345**	**5003**
LMJ06MGK02	9/16"	1/8"	14	27.5	20	345	5003
LMJ06MGK04	**9/16"**	**1/4"**	**14**	**27.5**	**28**	**345**	**5003**
LMJ06MGK06	9/16"	3/8"	19	32	31	310	4495
LMJ06MGK08	**9/16"**	**1/2"**	**22**	**32**	**37.5**	**240**	**3480**
LMJ08MGK04	3/4"	1/4"	19	32	31	310	4495
LMJ08MGK06	**3/4"**	**3/8"**	**19**	**32**	**31**	**310**	**4495**
LMJ08MGK08	3/4"	1/2"	22	34	37.5	240	3480
LMJ08MGK12	**3/4"**	**3/4"**	**27**	**36**	**40**	**240**	**3480**
LMJ10MGK06	7/8"	3/8"	22	37	31.5	240	3480
LMJ10MGK08	**7/8"**	**1/2"**	**22**	**37**	**37.5**	**240**	**3480**
LMJ10MGK12	7/8"	3/4"	27	39	40	240	3480
LMJ12MGK08	**1".1/16**	**1/2"**	**27**	**42**	**37.5**	**240**	**3480**
LMJ12MGK12	1".1/16	3/4"	33	42	40	240	3480

90° ADAPTOR MALE JIC - MALE BSPT (2)



GOMITO 90° - MASCHIO JIC - MASCHIO GAS CONICO
ADAPTATEUR COUDE 90° MÂLE JIC – MÂLE BSPT
ADAPTER 90° GSK – AG-JIC / AGR- K VERLÄNGERUNG
CODO 90° MACHO JIC – MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ12MGK16	1".1/16	1"	33	46	50	210	3045
LMJ16MGK12	**1".5/16**	**3/4"**	**33**	**46**	**44.5**	**210**	**3045**
LMJ16MGK16	1".5/16	1"	33	46	50	210	3045
LMJ20MGK16	**1".5/8**	**1"**	**41**	**57**	**51**	**170**	**2465**
LMJ20MGK20	1".5/8	1".1/4	41	52.5	60	170	2465

90° LONG CONNECTOR MALE JIC – MALE BSPT



GOMITO 90° - MASCHIO JIC - MASCHIO GAS CONICO LUNGO
ADAPTATEUR LONG COUDE 90° MÂLE JIC – MÂLE BSPT
ADAPTER 90° GSK – AG-JIC / AGR- K VERLÄNGERUNG
CODO 90° LARGO MACHO JIC – MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04MGK02L	7/16"	1/8"	14	23.5	39.5	345	5003
LMJ04MGK04L	**7/16"**	**1/4"**	**19**	**24**	**52.5**	**345**	**5003**
LMJ05MGK02L	1/2"	1/8"	14	25	41.5	345	5003
LMJ05MGK04L	**1/2"**	**1/4"**	**19**	**25**	**52.5**	**345**	**5003**
LMJ06MGK02L	9/16"	1/8"	19	27.5	48.5	345	5003
LMJ06MGK04L	**9/16"**	**1/4"**	**19**	**27.5**	**52.5**	**345**	**5003**
LMJ06MGK06L	9/16"	3/8"	19	29.5	61	310	4495
LMJ08MGK04L	**3/4"**	**1/4"**	**19**	**32**	**61**	**310**	**4495**
LMJ08MGK06L	3/4"	3/8"	14	32	61	310	4495
LMJ08MGK08L	**3/4"**	**1/2"**	**22**	**34**	**73**	**240**	**3480**
LMJ10MGK06L	7/8"	3/8"	22	37	68.5	240	3480
LMJ10MGK08L	**7/8"**	**1/2"**	**22**	**37**	**73**	**240**	**3480**
LMJ10MGK12L	7/8"	3/4"	27	39	82.5	240	3480
LMJ12MGK08L	**1".1/16**	**1/2"**	**27**	**42**	**82.5**	**240**	**3480**
LMJ12MGK12L	1".1/16	3/4"	33	42	82.5	240	3480
LMJ16MGK12L	**1".5/16**	**3/4"**	**33**	**46**	**98**	**240**	**3480**
LMJ16MGK16L	1".5/16	1"	33	46	103	210	3045
LMJ20MGK16L	**1".5/8**	**1"**	**41**	**57**	**127**	**170**	**2465**
LMJ20MGK20L	1".5/8	1".1/4	41	52.5	127	170	2465

45° ADAPTOR MALE JIC - MALE BSPT (1)



GOMITO 45° - MASCHIO JIC - MASCHIO GAS CONICO
ADAPTATEUR COUDE 45° MÂLE JIC - MÂLE BSPT
ADAPTER 45° GSK - AG- JIC / AGR- K
CODO 45° MACHO JIC - MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
QMJ04MGK02	7/16"	1/8"	14	19.5	16.5	345	5003
QMJ04MGK04	**7/16"**	**1/4"**	**14**	**20**	**22**	**345**	**5003**
QMJ05MGK02	1/2"	1/8"	14	20	16.5	345	5003
QMJ05MGK04	**1/2"**	**1/4"**	**14**	**20**	**22**	**345**	**5003**
QMJ06MGK02	9/16"	1/8"	14	21.5	16.5	345	5003
QMJ06MGK04	**9/16"**	**1/4"**	**14**	**21.5**	**22**	**345**	**5003**
QMJ06MGK06	9/16"	3/8"	19	23	24	310	4495
QMJ06MGK08	**9/16"**	**1/2"**	**22**	**23.5**	**29.5**	**240**	**3480**
QMJ08MGK04	3/4"	1/4"	19	25.5	24	310	4495
QMJ08MGK06	**3/4"**	**3/8"**	**19**	**25.5**	**24**	**310**	**4495**
QMJ08MGK08	3/4"	1/2"	22	26	29.5	240	3480
QMJ08MGK12	**3/4"**	**3/4"**	**27**	**27**	**30.5**	**240**	**3480**
QMJ10MGK06	7/8"	3/8"	22	29	25.5	240	3480
QMJ10MGK08	**7/8"**	**1/2"**	**22**	**29**	**29.5**	**240**	**3480**
QMJ10MGK12	7/8"	3/4"	27	30	30.5	240	3480
QMJ12MGK08	**1".1/16**	**1/2"**	**27**	**33**	**30.5**	**240**	**3480**
QMJ12MGK12	1".1/16	3/4"	27	33	30.5	240	3480

45° ADAPTOR MALE JIC - MALE BSPT (2)



GOMITO 45° - MASCHIO JIC - MASCHIO GAS CONICO
ADAPTATEUR COUDE 45° MÂLE JIC - MÂLE BSPT
ADAPTER 45° GSK - AG- JIC / AGR- K
CODO 45° MACHO JIC - MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
QMJ12MGK16	1".1/16	1"	33	37	38	210	3045
QMJ16MGK12	**1".5/16**	**3/4"**	**33**	**38**	**33**	**210**	**3045**
QMJ16MGK16	1".5/16	1"	33	38	38	210	3045
QMJ20MGK16	**1".5/8**	**1"**	**41**	**40**	**41**	**170**	**2465**
QMJ20MGK20	1".5/8	1".1/4	41	40	42	170	2465

RUN TEE MALE JIC – MALE BSPT



ADATTATORE "T" - MASCHIO JIC - MASCHIO GAS CONICO AL BRACCIO
ADAPTATEUR TÉ RENVERSÉ MÂLE JIC - MALE BSPT
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AGR- K (ARM)
ADAPTADOR TE MACHO JIC - MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04MGK02B	7/16"	1/8"	14	23.5	20	345	5003
TMJ04MGK04B	**7/16"**	**1/4"**	**14**	**24.5**	**28**	**345**	**5003**
TMJ05MGK02B	1/2"	1/8"	14	25	20	345	5003
TMJ05MGK04B	**1/2"**	**1/4"**	**14**	**25**	**28**	**345**	**5003**
TMJ06MGK04B	9/16"	1/4"	14	27.5	28	345	5003
TMJ06MGK06B	**9/16"**	**3/8"**	**19**	**32**	**31**	**310**	**4495**
TMJ08MGK06B	3/4"	3/8"	19	32	31	310	4495
TMJ08MGK08B	**3/4"**	**1/2"**	**22**	**34**	**37.5**	**240**	**3480**
TMJ10MGK06B	7/8"	3/8"	22	37	31.5	240	3480
TMJ10MGK08B	**7/8"**	**1/2"**	**22**	**37**	**37.5**	**240**	**3480**
TMJ10MGK12B	7/8"	3/4"	27	39	40	240	3480
TMJ12MGK08B	**1".1/16**	**1/2"**	**27**	**42**	**37.5**	**240**	**3480**
TMJ12MGK12B	1".1/16	3/4"	33	42	40	240	3480
TMJ16MGK12B	**1".5/16**	**3/4"**	**33**	**46**	**44.5**	**210**	**3045**
TMJ16MGK16B	1".5/16	1"	33	46	50	210	3045
TMJ20MGK16B	**1".5/8**	**1"**	**41**	**57**	**51**	**170**	**2465**
TMJ20MGK20B	1".5/8	1".1/4	41	57	60	170	2465

BRANCH TEE MALE JIC – MALE BSPT



ADATTATORE "T" - MASCHIO JIC - MASCHIO GAS CONICO AL PIEDE
ADAPTATEUR TÉ MÂLE JIC - MALE BSPT
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AGR- K (FUSS)
ADAPTADOR TE MACHO JIC - MACHO BSPT

F1 - JIC

F2 - Gas conico, BSPT, Gaz conique, Kegliges Gagewinde, Rosca cònica

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04MGK02P	7/16"	1/8"	14	23.5	20	345	5003
TMJ04MGK04P	**7/16"**	**1/4"**	**14**	**24.5**	**28**	**345**	**5003**
TMJ05MGK02P	1/2"	1/8"	14	25	20	345	5003
TMJ05MGK04P	**1/2"**	**1/4"**	**14**	**25**	**28**	**345**	**5003**
TMJ06MGK04P	9/16"	1/4"	14	27.5	28	345	5003
TMJ06MGK06P	**9/16"**	**3/8"**	**19**	**32**	**31**	**310**	**4495**
TMJ08MGK06P	3/4"	3/8"	19	32	31	310	4495
TMJ08MGK08P	**3/4"**	**1/2"**	**22**	**34**	**37.5**	**240**	**3480**
TMJ10MGK06P	7/8"	3/8"	22	37	31.5	240	3480
TMJ10MGK08P	**7/8"**	**1/2"**	**22**	**37**	**37.5**	**240**	**3480**
TMJ10MGK12P	7/8"	3/4"	27	39	40	240	3480
TMJ12MGK08P	**1".1/16**	**1/2"**	**27**	**42**	**37.5**	**240**	**3480**
TMJ12MGK12P	1".1/16	3/4"	33	42	40	240	3480
TMJ16MGK12P	**1".5/16**	**3/4"**	**33**	**46**	**44.5**	**210**	**3045**
TMJ16MGK16P	1".5/16	1"	33	46	50	210	3045
TMJ20MGK16P	**1".5/8**	**1"**	**41**	**57**	**51**	**170**	**2465**
TMJ20MGK20P	1".5/8	1".1/4	41	57	60	170	2465

ADAPTOR SWIVEL FEMALE JIC - MALE BSPT



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO GAS CONICO
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE BSPT
ADAPTER IG-JIC DREHBAR / AGR - K
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO BSPT

F1 - JIC
F2 - Gas conico, BSPT, Gaz conique, Kegliges Gag winde, Rosca cònica

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ04MGK02	7/16"	1/8"	12	15	10	34.5		310	4495
AFGJ04MGK04	**7/16"**	**1/4"**	**14**	**15**	**14.5**	**39**		**275**	**3988**
AFGJ05MGK02	1/2"	1/8"	12	17	10	36		275	3988
AFGJ05MGK04	**1/2"**	**1/4"**	**14**	**17**	**14.5**	**40.5**		**275**	**3988**
AFGJ06MGK04	9/16"	1/4"	14	19	14.5	41.3		275	3988
AFGJ06MGK06	**9/16"**	**3/8"**	**17**	**19**	**14.5**	**42.3**		**210**	**3045**
AFGJ08MGK04	3/4"	1/4"	19	24	14.5	44.6		275	3988
AFGJ08MGK06	**3/4"**	**3/8"**	**19**	**24**	**14.5**	**44.6**		**275**	**3988**
AFGJ08MGK08	3/4"	1/2"	22	24	19	49.1		210	3045
AFGJ10MGK06	**7/8"**	**3/8"**	**22**	**27**	**14.5**	**48.6**		**210**	**3045**
AFGJ10MGK08	7/8"	1/2"	22	27	19	53.1		210	**3045**
AFGJ10MGK12	**7/8"**	**3/4"**	**27**	**27**	**19**	**56.1**		**210**	**3045**
AFGJ12MGK08	1".1/16	1/2"	27	32	19	56.2	*	210	**3045**
AFGJ12MGK12	**1".1/16**	**3/4"**	**27**	**32**	**19**	**56.2**	*	**210**	**3045**
AFGJ12MGK16	1".1/16	1"	36	32	24	61.7	*	170	**2465**
AFGJ16MGK12	**1".5/16**	**3/4"**	**32**	**41**	**19**	**59.9**	*	**170**	**2465**
AFG J16MGK16	1".5/16	1"	36	41	24	65.4	*	170	**2465**
AFGJ20MGK20	**1".5/8**	**1".1/4**	**46**	**50**	**25**	**67.8**	*	**140**	**2030**
AFGJ24MGK20	1".7/8	1".1/4	46	55	25	76.8	*	105	**1523**
AFGJ24MGK24	**1".7/8**	**1".1/2**	**50**	**55**	**26**	**77.8**	*	**105**	**1523**

* **Thrust-wire nut**
Dado spinato

ADAPTOR MALE JIC - MALE NPT (1)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO NPT
ADAPTATEUR MÂLE JIC - MÂLE NPT
ADAPTER AG- JIC / AG-NPT
ADAPTADOR MACHO JIC -MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ04MN02	7/16"	1/8"	14	14	10	31	345	5003
AMJ04MN04	**7/16"**	**1/4"**	**14**	**14**	**14.5**	**35.5**	**345**	**5003**
AMJ05MN02	1/2"	1/8"	14	14	10	31	345	5003
AMJ05MN04	**1/2"**	**1/4"**	**14**	**14**	**14.5**	**35.5**	**345**	**5003**
AMJ06MN02	9/16"	1/8"	17	14.1	10	32	345	5003
AMJ06MN04	**9/16"**	**1/4"**	**17**	**14.1**	**14.5**	**36.5**	**345**	**5003**
AMJ06MN06	9/16"	3/8"	17	14.1	14.5	36.5	310	4495
AMJ06MN08	**9/16"**	**1/2"**	**22**	**14.1**	**19**	**41**	**240**	**3480**
AMJ08MN04	3/4"	1/4"	22	16.7	14.5	39	310	4495
AMJ08MN06	**3/4"**	**3/8"**	**22**	**16.7**	**14.5**	**39**	**310**	**4495**
AMJ08MN08	3/4"	1/2"	22	16.7	19	43.5	240	3480
AMJ08MN12	**3/4"**	**3/4"**	**27**	**16.7**	**19**	**46**	**240**	**3480**
AMJ10MN06	7/8"	3/8"	24	19.3	14.5	43.5	240	3480
AMJ10MN08	**7/8"**	**1/2"**	**24**	**19.6**	**19**	**48**	**240**	**3480**
AMJ10MN12	7/8"	3/4"	27	19.3	19	48.5	240	3480
AMJ12MN08	**1".1/16**	**1/2"**	**30**	**21.9**	**19**	**52.5**	**240**	**3480**
AMJ12MN12	1".1/16	3/4"	30	21.9	19	52.5	240	3480
AMJ12MN16	**1".1/16**	**1"**	**36**	**21.9**	**24**	**57.5**	**210**	**3045**
AMJ16MN12	1".5/16	3/4"	36	23.1	19	53.5	210	3045
AMJ16MN16	**1".5/16**	**1"**	**36**	**23.1**	**24**	**58.5**	**210**	**3045**

ADAPTOR MALE JIC - MALE NPT (2)



ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO NPT
ADAPTATEUR MÂLE JIC - MÂLE NPT
ADAPTER AG- JIC / AG-NPT
ADAPTADOR MACHO JIC -MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions				Pressure	
	F1	F2	H	L1	L2	L	PN	
			mm	mm	mm	mm	Bar	Psi
AMJ20MN16	1".5/8	1"	46	24.3	24	61	170	2465
AMJ20MN20	**1".5/8**	**1".1/4**	**46**	**24.3**	**25**	**62**	**170**	**2465**
AMJ24MN20	1".7/8	1".1/4	50	27.5	25	67.5	140	2030
AMJ24MN24	**1".7/8**	**1".1/2**	**50**	**27.5**	**26**	**68**	**140**	**2030**

90° ADAPTOR MALE JIC - MALE NPT (1)



GOMITO 90° - MASCHIO JIC - MASCHIO NPT
ADAPTATEUR COUDE 90° MÂLE JIC - MÂLE NPT
ADAPTER 90° GSK - AG- JIC / AG- NPT
CODO 90° MACHO JIC - MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04MN02	7/16"	1/8"	14	23.5	20	345	5003
LMJ04MN04	**7/16"**	**1/4"**	**14**	**24.5**	**28**	**345**	**5003**
LMJ05MN02	1/2"	1/8"	14	25	20	345	5003
LMJ05MN04	**1/2"**	**1/4"**	**14**	**25**	**28**	**345**	**5003**
LMJ06MN02	9/16"	1/8"	14	27.5	20	345	5003
LMJ06MN04	**9/16"**	**1/4"**	**14**	**27.5**	**28**	**345**	**5003**
LMJ06MN06	9/16"	3/8"	19	32	31	310	4495
LMJ06MN08	**9/16"**	**1/2"**	**22**	**32**	**37.5**	**240**	**3480**
LMJ08MN04	3/4"	1/4"	19	32	31	310	4495
LMJ08MN06	**3/4"**	**3/8"**	**19**	**32**	**31**	**310**	**4495**
LMJ08MN08	3/4"	1/2"	22	34	37.5	240	3480
LMJ08MN12	**3/4"**	**3/4"**	**27**	**36**	**40**	**240**	**3480**
LMJ10MN06	7/8"	3/8"	22	37	31.5	240	3480
LMJ10MN08	**7/8"**	**1/2"**	**22**	**39**	**40**	**240**	**3480**
LMJ10MN12	7/8"	3/4"	27	40.5	42	240	3480
LMJ12MN08	**1".1/16**	**1/2"**	**27**	**42**	**37.5**	**240**	**3480**
LMJ12MN12	1".1/16	3/4"	27	42	40	240	3480

90° ADAPTOR MALE JIC - MALE NPT (2)



GOMITO 90° - MASCHIO JIC - MASCHIO NPT
ADAPTATEUR COUDE 90° MÂLE JIC - MÂLE NPT
ADAPTER 90° GSK - AG- JIC / AG- NPT
CODO 90° MACHO JIC - MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ16MN12	1".5/16	3/4"	33	46	44.5	210	3045
LMJ16MN16	**1".5/16**	**1"**	**33**	**46**	**50**	**210**	**3045**
LMJ20MN16	1".5/8	1"	41	52.5	59	170	2465
LMJ20MN20	**1".5/8**	**1".1/4**	**41**	**52.5**	**60**	**170**	**2465**

90° LONG CONNECTOR MALE JIC – MALE NPT



GOMITO 90° - MASCHIO JIC - MASCHIO NPT LUNGO
ADAPTATEUR LONG COUDE 90° MÂLE JIC – MÂLE NPT
ADAPTER 90° GSK – AG-JIC / AGR- NPT VERLÄNGERUNG
CODO 90° LARGO MACHO JIC – MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04MN02L	7/16"	1/8"	14	23.5	39.5	345	5003
LMJ04MN04L	**7/16"**	**1/4"**	**19**	**24**	**52.5**	**345**	**5003**
LMJ05MN02L	1/2"	1/8"	19	25	41.5	345	5003
LMJ05MN04L	**1/2"**	**1/4"**	**14**	**25**	**52.5**	**345**	**5003**
LMJ06MN02L	9/16"	1/8"	19	27.5	48.5	345	5003
LMJ06MN04L	**9/16"**	**1/4"**	**19**	**27.5**	**52.5**	**345**	**5003**
LMJ06MN06L	9/16"	3/8"	19	29.5	61	310	4495
LMJ08MN04L	**3/4"**	**1/4"**	**19**	**32**	**61**	**310**	**4495**
LMJ08MN06L	3/4"	3/8"	14	32	61	310	4495
LMJ08MN08L	**3/4"**	**1/2"**	**22**	**34**	**73**	**240**	**3480**
LMJ10MN06L	7/8"	3/8"	22	37	68.5	240	3480
LMJ10MN08L	**7/8"**	**1/2"**	**22**	**37**	**73**	**240**	**3480**
LMJ10MN12L	7/8"	3/4"	27	39	82.5	240	3480
LMJ12MN08L	**1".1/16**	**1/2"**	**27**	**42**	**82.5**	**240**	**3480**
LMJ12MN12L	1".1/16	3/4"	33	42	82.5	240	3480
LMJ16MN12L	**1".5/16**	**3/4"**	**33**	**46**	**98**	**210**	**3045**
LMJ16MN16L	1".5/16	1"	33	46	103	210	3045
LMJ20MN16L	**1".5/8**	**1"**	**41**	**52.5**	**127**	**170**	**2465**
LMJ20MN20L	1".5/8	1".1/4	41	52.5	127	170	2465

45° ADJUSTABLE ADAPTOR MALE JIC – MALE NPT (1)



GOMITO 45° - MASCHIO JIC - MASCHIO NPT
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MÂLE NPT
ADAPTER 45° GSK – AG-JIC / AG- NPT
CODO 45° ORIENTABLE MACHO JIC – MACHO NPT

F1 - JIC
F1 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
QMJ04MN02	7/16"	1/8"	14	19.5	16.5	345	5003
QMJ04MN04	**7/16"**	**1/4"**	**14**	**20**	**22**	**345**	**5003**
QMJ05MN02	1/2"	1/8"	14	20	16.5	345	5003
QMJ05MN04	**1/2"**	**1/4"**	**14**	**20**	**22**	**345**	**5003**
QMJ06MN02	9/16"	1/8"	14	21.5	16.5	345	5003
QMJ06MN04	**9/16"**	**1/4"**	**14**	**21.5**	**22**	**345**	**5003**
QMJ06MN06	9/16"	3/8"	19	23	24	310	4495
QMJ06MN08	**9/16"**	**1/2"**	**22**	**23.5**	**29.5**	**240**	**3480**
QMJ08MN04	3/4"	1/4"	19	25.5	24	310	4495
QMJ08MN06	**3/4"**	**3/8"**	**19**	**25.5**	**24**	**310**	**4495**
QMJ08MN08	3/4"	1/2"	22	26	29.5	240	3480
QMJ08MN12	**3/4"**	**3/4"**	**27**	**27**	**30.5**	**240**	**3480**
QMJ10MN06	7/8"	3/8"	22	29	25.5	240	3480
QMJ10MN08	**7/8"**	**1/2"**	**22**	**29**	**29.5**	**240**	**3480**
QMJ10MN12	7/8"	3/4"	27	30	30.5	240	3480
QMJ12MN08	**1".1/16**	**1/2"**	**27**	**33**	**30.5**	**240**	**3480**
QMJ12MN12	1".1/16	3/4"	27	33	30.5	240	3480

45° ADJUSTABLE ADAPTOR MALE JIC –MALE NPT (2)



GOMITO 45° - MASCHIO JIC - MASCHIO NPT
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MÂLE NPT
ADAPTER 45° GSK – AG-JIC / AG- NPT
CODO 45° ORIENTABLE MACHO JIC – MACHO NPT

F1 - JIC
F1 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
QMJ16MN12	1".5/16	3/4"	33	37	38	210	3045
QMJ16MN16	**1".5/16**	**1"**	**33**	**38**	**33**	**210**	**3045**
QMJ20MN16	1".5/8	1"	33	38	38	170	2465
QMJ20MN20	**1".5/8**	**1".1/4**	**41**	**40**	**41**	**170**	**2465**
QMJ24MN20	1".7/8	1".1/4	41	40	42	140	2030

BRANCH TEE MALE JIC - MALE NPT



ADATTATORE "T" - MASCHIO JIC - MASCHIO NPT AL PIEDE
ADAPTATEUR TÉ MÂLE JIC - MALE NPT
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- NPT (FUSS)
ADAPTADOR TE MACHO JIC - MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F1	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04MN02P	7/16"	1/8"	14	23.5	20	345	5003
TMJ04MN04P	**7/16"**	**1/4"**	**14**	**24.5**	**28**	**345**	**5003**
TMJ05MN02P	1/2"	1/8"	14	25	20	345	5003
TMJ05MN04P	**1/2"**	**1/4"**	**14**	**25**	**28**	**345**	**5003**
TMJ06MN04P	9/16"	1/4"	14	27.5	28	345	5003
TMJ06MN06P	**9/16"**	**3/8"**	**19**	**32**	**31**	**310**	**4495**
TMJ08MN06P	3/4"	3/8"	19	32	31	310	4495
TMJ08MN08P	**3/4"**	**1/2"**	**22**	**34**	**37.5**	**240**	**3480**
TMJ10MN06P	7/8"	3/8"	22	37	31.5	240	3480
TMJ10MN08P	**7/8"**	**1/2"**	**22**	**39**	**40**	**240**	**3480**
TMJ10MN12P	7/8"	3/4"	27	40.5	42	240	3480
TMJ12MN08P	**1".1/16**	**1/2"**	**27**	**42**	**37.5**	**240**	**3480**
TMJ12MN12P	1".1/16	3/4"	27	42	40	240	3480
TMJ16MN12P	**1".5/16**	**3/4"**	**33**	**46**	**44.5**	**210**	**3045**
TMJ16MN16P	1".5/16	1"	33	46	50	210	3045
TMJ20MN16P	**1".5/8**	**1"**	**41**	**57**	**51**	**170**	**2465**
TMJ20MN20P	1".5/8	1".1/4	41	57	60	170	2465

RUN TEE MALE JIC - MALE NPT



ADATTATORE "T" - MASCHIO JIC - MASCHIO NPT AL BRACCIO
ADAPTATEUR TÉ RENVERSÉ MÂLE JIC - MALE NPT
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- NPT (ARM)
ADAPTADOR EN TE MACHO JIC – MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04MN02B	7/16"	1/8"	14	23.5	20	345	5003
TMJ04MN04B	**7/16"**	**1/4"**	**14**	**24.5**	**28**	**345**	**5003**
TMJ05MN02B	1/2"	1/8"	14	25	20	345	5003
TMJ05MN04B	**1/2"**	**1/4"**	**14**	**25**	**28**	**345**	**5003**
TMJ06MN04B	9/16"	1/4"	14	27.5	28	345	5003
TMJ06MN06B	**9/16"**	**3/8"**	**19**	**32**	**31**	**310**	**4495**
TMJ08MN06B	3/4"	3/8"	19	32	31	310	4495
TMJ08MN08B	**3/4"**	**1/2"**	**22**	**34**	**37.5**	**240**	**3480**
TMJ10MN06B	7/8"	3/8"	22	37	31.5	240	3480
TMJ10MN08B	**7/8"**	**1/2"**	**22**	**39**	**40**	**240**	**3480**
TMJ10MN12B	7/8"	3/4"	27	40.5	42	240	3480
TMJ12MN08B	**1".1/16**	**1/2"**	**27**	**42**	**37.5**	**240**	**3480**
TMJ12MN12B	1".1/16	3/4"	27	42	40	240	3480
TMJ16MN12B	**1".5/16**	**3/4"**	**33**	**46**	**44.5**	**210**	**3045**
TMJ16MN16B	1".5/16	1"	33	46	50	210	3045
TMJ20MN16B	**1".5/8**	**1"**	**41**	**57**	**51**	**170**	**2465**
TMJ20MN20B	1".5/8	1".1/4	41	57	60	170	2465

ADAPTOR SWIVEL FEMALE JIC - MALE NPT



ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO NPT
ADAPTATEUR FEMELLE TOURNANTE JIC - MÂLE NPT
ADAPTER IG-JIC DREHBAR / AG - NPT
ADAPTADOR HEMBRA GIRATORIA JIC - MACHO NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L		PN	
			mm	mm	mm	mm		Bar	Psi
AFGJ04MN02	7/16"	1/8"	12	15	10	34.5		310	4495
AFGJ04MN04	**7/16"**	**1/4"**	**14**	**15**	**14.5**	**39**		**275**	**3988**
AFGJ05MN02	1/2"	1/8"	12	17	10	36		275	3988
AFGJ05MN04	**1/2"**	**1/4"**	**14**	**17**	**14.5**	**40.5**		**275**	**3988**
AFGJ06MN04	9/16"	1/4"	14	19	14.5	41.3		275	3988
AFGJ06MN06	**9/16"**	**3/8"**	**17**	**19**	**14.5**	**42.3**		**210**	**3045**
AFGJ08MN04	3/4"	1/4"	19	24	14.5	44.6		275	3988
AFGJ08MN06	**3/4"**	**3/8"**	**19**	**24**	**14.5**	**44.6**		**275**	**3988**
AFGJ08MN08	3/4"	1/2"	22	24	19	49.1		210	3045
AFGJ10MN06	**7/8"**	**3/8"**	**22**	**27**	**14.5**	**48.6**		**210**	**3045**
AFGJ10MN08	7/8"	1/2"	22	27	19	53.1		210	3045
AFGJ10MN12	**7/8"**	**3/4"**	**27**	**27**	**19**	**56.1**		**210**	**3045**
AFGJ12MN08	1".1/16	1/2"	27	32	19	56.2	*	210	3045
AFGJ12MN12	**1".1/16**	**3/4"**	**27**	**32**	**19**	**56.2**	*	**210**	**3045**
AFGJ12MN16	1".1/16	1"	36	32	24	61.8	*	170	2465
AFGJ16MN12	**1".5/16**	**3/4"**	**32**	**41**	**19**	**59.9**	*	**170**	**2465**
AFGJ16MN16	1".5/16	1"	36	41	24	45.4	*	170	2465
AFGJ20MN20	**1".5/8**	**1".1/4**	**46**	**50**	**25**	**67.8**	*	**140**	**2030**
AFGJ24MN20	1".7/8	1".1/4	46	55	25	76.8	*	105	1523
AFGJ24MN24	**1".7/8**	**1".1/2**	**50**	**55**	**26**	**77.8**	*	**105**	**1523**

* **Thrust-wire nut**
Dado spinato

LONG ADAPTOR MALE JIC – UNMOVABLE FEMALE NPT



ADATTATORE DIRITTO - MASCHIO JIC - FEMMINA FISSA NPT
ADAPTER MÂLE JIC – FEMELLE FIXE NPT
ADAPTER AG-JIC / IG- NPT
ADAPTADOR MACHO JIC – HEMBRA FIJA NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L	PN	
			mm	mm	mm	Bar	Psi
AMJ04FFN02	7/16"	1/8"	14	14	30	345	5003
AMJ04FFN04	**7/16"**	**1/4"**	**19**	**14**	**35.5**	**345**	**5003**
AMJ05FFN02	1/2"	1/8"	14	14	30	345	5003
AMJ05FFN04	**1/2"**	**1/4"**	**19**	**14**	**35.5**	**345**	**5003**
AMJ06FFN04	9/16"	1/4"	19	14.1	35.5	345	5003
AMJ06FFN06	**9/16"**	**3/8"**	**22**	**14.1**	**37**	**310**	**4495**
AMJ08FFN04	3/4"	1/4"	22	16.7	39.5	310	4495
AMJ08FFN06	**3/4"**	**3/8"**	**22**	**16.7**	**39.5**	**310**	**4495**
AMJ08FFN08	3/4"	1/2"	30	16.7	45.5	240	3480
AMJ10FFN08	**7/8"**	**1/2"**	**30**	**19.3**	**48**	**240**	**3480**
AMJ12FFN08	1".1/16	1/2"	30	21.9	51	240	3480
AMJ12FFN12	**1".1/16**	**3/4"**	**36**	**21.9**	**52**	**240**	**3480**
AMJ16FFN16	1".5/16	1"	41	23.1	59.5	210	3045
AMJ20FFN20	**1".5/8**	**1".1/4**	**50**	**24.3**	**63.5**	**210**	**3045**
AMJ24FFN24	1".7/8	1".1/2	60	27.5	66.5	140	2030

STRAIGHT BULKHEAD ADAPTOR MALE JIC – FIXED FEMALE NPT



ADATTATORE DIRITTO PASSAPARETE MASCHIO JIC - FEMMINA FISSA NPT
PASSE-CLOISON MÂLE JIC – FEMELLE FIXE NPT
SCHOTTADAPTER –AG- JIC / IG-NPT
PASATABIQUES MACHO JIC – HEMBRA FIJA NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions					Pressure	
	F1	F2	H1	H2	L1	L2	L	PN	
			mm	mm	mm	mm	mm	Bar	Psi
APPMJ04FFN02	7/16"	1/8"	17	17	31.5	9.5	47.5	345	5003
APPMJ04FFN04	**7/16"**	**1/4"**	**19**	**17**	**31.5**	**14**	**52.5**	**345**	**5003**
APPMJ05FFN02	1/2"	1/8"	19	19	31.5	9.5	47.5	345	5003
APPMJ05FFN04	**1/2"**	**1/4"**	**19**	**19**	**31.5**	**14**	**52.5**	**345**	**5003**
APPMJ06FFN02	9/16"	1/8"	17	22	39.5	9.5	49.5	345	5003
APPMJ06FFN04	**9/16"**	**1/4"**	**22**	**22**	**33.5**	**14**	**54.5**	**345**	**5003**
APPMJ06FFN06	9/16"	3/8"	22	22	33.5	14.5	56	310	4495
APPMJ08FFN04	**3/4"**	**1/4"**	**22**	**24**	**37.6**	**14**	**59**	**310**	**4495**
APPMJ08FFN06	3/4"	3/8"	24	24	37.6	14.5	60	310	4495
APPMJ08FFN08	**3/4"**	**1/2"**	**30**	**24**	**37.5**	**19**	**64**	**240**	**3480**
APPMJ10FFN08	7/8"	1/2"	30	30	41.1	19	67.5	240	3480
APPMJ12FFN08	**1".1/16**	**1/2"**	**30**	**36**	**45.4**	**19**	**72**	**240**	**3480**
APPMJ12FFN12	1".1/16	3/4"	36	36	45.4	19.5	74.5	240	3480
APPMJ16FFN16	**1".5/16**	**1"**	**41**	**41**	**45.4**	**23.5**	**76.5**	**210**	**3045**
APPMJ20FFN20	1".5/8	1".1/4	50	50	46.7	24	83	170	2465
APPMJ24FFN24	**1".7/8**	**1".1/2**	**60**	**55**	**47**	**24**	**85**	**140**	**2030**

90° ADAPTOR MALE JIC – UNMOVABLE FEMALE NPT



GOMITO 90° - MASCHIO JIC - FEMMINA FISSA NPT
ADAPTATEUR COUDE 90° MÂLE JIC – FEMELLE FIXE NPT
ADAPTER 90° GSK – AG-JIC / IG-NPT
CODO 90° MACHO JIC – HEMBRA FIJA NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
LMJ04FFN02	7/16"	1/8"	14	27.5	17	345	5003
LMJ04FFN04	**7/16"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
LMJ05FFN02	1/2"	1/8"	14	27.5	17	345	5003
LMJ05FFN04	**1/2"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
LMJ06FFN02	9/16"	1/8"	14	27.5	17	345	5003
LMJ06FFN04	**9/16"**	**1/4"**	**19**	**31**	**22.5**	**345**	**5003**
LMJ06FFN06	9/16"	3/8"	22	31.5	26	310	4495
LMJ08FFN04	**3/4"**	**1/4"**	**19**	**32**	**22.5**	**310**	**4495**
LMJ08FFN06	3/4"	3/8"	22	36	36	310	4495
LMJ10FFN08	**7/8"**	**1/2"**	**27**	**42**	**31**	**240**	**3480**
LMJ12FFN08	1".1/16	1/2"	27	42	31	240	3480
LMJ12FFN12	**1".1/16**	**3/4"**	**33**	**48**	**34.5**	**240**	**3480**
LMJ16FFN16	1".5/16	1"	41	55	41	210	3045

BRANCH TEE MALE JIC – UNMOVABLE FEMALE NPT



ADATTATORE "T" - MASCHIO JIC - FEMMINA FISSA NPT AL PIEDE
ADAPTATEUR TÉ MÂLE JIC - FEMELLE FIXE NPT
ADAPTER T-STÜCK 2 X AG-JIC / 1 X IG- NPT (FUSS)
ADAPTADOR TE MACHO JIC– HEMBRA FIJA NPT

F1 - JIC
F2 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04FFN02P	7/16"	1/8"	14	27.5	17	345	5003
TMJ04FFN04P	**7/16"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
TMJ05FFN02P	1/2"	1/8"	14	27.5	17	345	5003
TMJ05FFN04P	**1/2"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
TMJ06FFN02P	9/16"	1/8"	14	27.5	17	345	5003
TMJ06FFN04P	**9/16"**	**1/4"**	**19**	**31**	**22.5**	**345**	**5003**
TMJ06FFN06P	9/16"	3/8"	22	31.5	26	310	4495
TMJ08FFN04P	**3/4"**	**1/4"**	**19**	**32**	**22.5**	**310**	**4495**
TMJ08FFN06P	3/4"	3/8"	22	36	36	310	4495
TMJ08FFN08P	**3/4"**	**1/2"**	**-**	**-**	**-**	**240**	**3480**
TMJ10FFN08P	7/8"	1/2"	27	42	31	240	3480
TMJ12FFN08P	**1".1/16**	**1/2"**	**27**	**42**	**31**	**240**	**3480**
TMJ12FFN12P	1".1/16	3/4"	33	48	34.5	240	3480
TMJ16FFN16P	**1".5/16**	**1"**	**41**	**55**	**41**	**210**	**3045**

RUN TEE MALE JIC - FIXED FEMALE NPT



ADATTATORE "T" - MASCHIO JIC - FEMMINA FISSA NPT AL BRACCIO
ADAPTATEUR TÉ RENVERSÉ MÂLE JIC - FEMELLE FIXE NPT
ADAPTER T-STÜCK 2 X AG-JIC / 1 X IG- NPT (ARM)
ADAPTADOR TE MACHO JIC – HEMBRA FIJA NPT

F1 - JIC
F1 - NPT

Code	Thread		Dimensions			Pressure	
	F1	F2	H	L1	L2	PN	
			mm	mm	mm	Bar	Psi
TMJ04FFN02B	7/16"	1/8"	14	27.5	17	345	5003
TMJ04FFN04B	**7/16"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
TMJ05FFN02B	1/2"	1/8"	14	27.5	17	345	5003
TMJ05FFN04B	**1/2"**	**1/4"**	**19**	**29**	**22.5**	**345**	**5003**
TMJ06FFN02B	9/16"	1/8"	14	27.5	17	345	5003
TMJ06FFN04B	**9/16"**	**1/4"**	**19**	**31**	**22.5**	**345**	**5003**
TMJ06FFN06B	9/16"	3/8"	22	31.5	26	310	4495
TMJ08FFN04B	**3/4"**	**1/4"**	**19**	**32**	**22.5**	**310**	**4495**
TMJ08FFN06B	3/4"	3/8"	22	36	36	310	4495
TMJ08FFN08B	**3/4"**	**1/2"**	**-**	**-**	**-**	**240**	**3480**
TMJ10FFN08B	7/8"	1/2"	27	42	31	240	3480
TMJ12FFN08B	**1".1/16**	**1/2"**	**27**	**42**	**31**	**240**	**3480**
TMJ12FFN12B	1".1/16	3/4"	33	48	34.5	240	3480
TMJ16FFN16B	**1".5/16**	**1"**	**41**	**55**	**41**	**210**	**3045**

ADAPTOR MALE JIC TO WELD



ADATTATORE DIRITTO - MASCHIO JIC CON TASCA
ADAPTATEUR MÂLE JIC
EINSCHWEISSADAPTER PASSEND FÜR HYDRAULIKROHRE AG- JIC
ADAPTADOR MACHO JIC

F1 - JIC

N.b.: No zinc-plated Parts
Elementi non sottoposti al trattamento di zincatura

Code	Thread		Dimensions			Pressure	
	F1	T	H	L1	L	PN	
			mm	mm	mm	Bar	Psi
AMNJ04T06	7/16"	6	12	14	26	345	5003
AMNJ05T08	**1/2"**	**8**	**14**	**14**	**26**	**345**	**5003**
AMNJ06T10	9/16"	10	17	14.1	27.5	345	5003
AMNJ08T12	**3/4"**	**12**	**22**	**16.7**	**29**	**310**	**4495**
AMNJ10T16	7/8"	16	24	19.3	31.5	240	3480
AMNJ12T20	**1".1/16**	**20**	**30**	**21.9**	**40**	**240**	**3480**
AMNJ16T25	1".5/16	25	36	23.1	42	210	3045
AMNJ20T32	**1".5/8**	**32**	**46**	**24.3**	**45**	**170**	**2465**
AMNJ24T38	1".7/8	38	50	27.5	50	140	2030

90° WELDING ADAPTOR MALE JIC



GOMITO 90° - MASCHIO JIC - SEDE A SALDARE
ADAPTATEUR À SOUDER COUDE 90° MÂLE JIC
ADAPTER EINSCHWEISSWINKEL 90° GSK – AG-JIC MIT ROHRANSCHLUSS
CODO 90° SOLDABLE MACHO JIC

F1 - JIC

N.b.: No zinc-plated Parts
Elementi non sottoposti al trattamento di zincatura

Code	Thread	Dimensions				Pressure	
	F1	Ø	H	L1	L2	PN	
		mm	mm	mm	mm	Bar	Psi
LMJ04T06	7/16"	6	14	31	16	345	5003
LMJ05T10	**1/2"**	**10**	**14**	**27**	**16**	**345**	**5003**
LMJ06T10	9/16"	10	14	27.5	16	345	5003
LMJ06T12	**9/16"**	**12**	**19**	**29.5**	**18**	**345**	**5003**
LMJ08T12	3/4"	12	19	32	18	310	4495
LMJ08T16	**3/4"**	**16**	**22**	**34**	**20**	**310**	**4495**
LMJ10T14	7/8"	14	22	37	20	240	3480
LMJ10T16	**7/8"**	**16**	**22**	**37**	**20**	**240**	**3480**
LMJ10T18	7/8"	18	27	40	23	240	3480
LMJ10T22	**7/8"**	**22**	**27**	**40**	**23**	**240**	**3480**
LMJ12T18	1".1/16	18	27	42	23	240	3480
LMJ12T20	**1".1/16**	**20**	**27**	**42**	**23**	**240**	**3480**
LMJ12T25	1".1/16	25	33	46	26	240	3480
LMJ16T25	**1".5/16**	**25**	**33**	**46**	**26**	**210**	**3045**
LMJ16T32	1".5/16	32	41	51	33	210	3045
LMJ20T30	**1".5/8**	**30**	**41**	**52.5**	**33**	**170**	**2465**
LMJ20T32	1".5/8	32	41	52.5	33	170	2465

90° ADAPTOR MALE JIC - BUTTWELD



GOMITO 90° - MASCHIO JIC - CODOLO A SALDARE
ADAPTATEUR COUDE 90° À SOUDER MÂLE JIC
ADAPTER ANSCHWEISSWINKEL 90° GSK – AG-JIC
ADAPTADOR CODO 90° SOLDABLE MACHO JIC

F1 - JIC

N.b.: No zinc-plated Parts
Elementi non sottoposti al trattamento di zincatura

Code	Thread		Dimensions			Pressure	
	F1	Ø	H	L1	L2	PN	
		mm	mm	mm	mm	Bar	Psi
LMJ04W	7/16"	15	14	31	22.5	345	5003
LMJ05W	**1/2"**	**15**	**14**	**31**	**22.5**	**345**	**5003**
LMJ06W	9/16"	15	14	31	22.5	345	5003
LMJ08W	**3/4"**	**20**	**19**	**36**	**26**	**310**	**4495**
LMJ10W	7/8"	23	22	41.5	31	240	3480
LMJ12W	**1".1/16**	**28**	**27**	**48**	**34.5**	**240**	**3480**
LMJ16W	1".5/16	35	33	52	41	310	4495
LMJ20W	**1".5/8**	**42**	**41**	**57**	**48**	**170**	**2465**

MALE PLUG JIC



TAPPO MASCHIO JIC
BOUCHON MÂLE JIC
VERSCHLUSSKAPPE – AG-JIC
TAPÓN MACHO JIC

F1 - JIC

Code	Thread	Dimensions		Pressure	
	F1	H	L	PN	
		mm	mm	Bar	Psi
ATMJ04	7/16"	12	20.5	345	5003
ATMJ05	**1/2"**	**14**	**20.5**	**345**	**5003**
ATMJ06	9/16"	17	21.5	345	5003
ATMJ08	**3/4"**	**22**	**24**	**310**	**4495**
ATMJ10	7/8"	24	28	240	3480
ATMJ12	**1".1/16**	**30**	**32**	**240**	**3480**
ATMJ16	1".5/16	36	34	210	3045
ATMJ20	**1".5/8**	**46**	**37**	**170**	**2465**
ATMJ24	1".7/8	50	42	140	2030

SWIVEL FEMALE PLUG JIC



TAPPO FEMMINA GIREVOLE JIC
BOUCHON FEMELLE JIC
VERSCHLUSSKAPPE – IG-JIC
TAPÓN HEMBRA GIRATORIA JIC

F1 - JIC

Code	Thread	Dimensions		Pressure	
	F1	H	L	PN	
		mm	mm	Bar	Psi
ATFGJ04	7/16"	15	18	310	4495
ATFGJ05	**1/2"**	**17**	**20**	**275**	**3988**
ATFGJ06	9/16"	19	22	275	3988
ATFGJ08	**3/4"**	**24**	**24**	**275**	**3988**
ATFGJ10	7/8"	27	27	210	3045
ATFGJ12	**1".1/16**	**32**	**30**	**210**	**3045**
ATFGJ16	1".5/16	41	31.5	170	2465
ATFGJ20	**1".5/8**	**50**	**33**	**140**	**2030**
ATFGJ24	1".7/8	55	39	105	1523

90° ADJUSTABLE ADAPTOR MALE JIC – MALE BSPP / O-RING AND RETAINING SEAL (1)



GOMITO 90° - MASCHIO JIC - MASCHIO GAS CILINDRICO ORIENTABILE CON O-RING E RITEGNO
ADAPTATEUR ORIENTABLE COUDE 90° MÂLE JIC – MALE BSPP / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER 90° GSK – AG-JIC / AGR-F MIT O.R. UND HALTER
CODO ORIENTABLE 90° MACHO JIC – MACHO BSPP / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC

F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
LMJ04MOG02	7/16"	1/8"	14	14	23.5	26	310	4495
LMJ04MOG04	**7/16"**	**1/4"**	**14**	**19**	**24**	**34**	**275**	**3988**
LMJ04MOG06	7/16"	3/8"	19	22	29	37	275	3988
LMJ04MOG08	**7/16"**	**1/2"**	**22**	**27**	**31**	**43**	**210**	**3045**
LMJ05MOG02	1/2"	1/8"	14	14	25	30	275	3988
LMJ05MOG04	**1/2"**	**1/4"**	**14**	**19**	**25**	**34**	**275**	**3988**
LMJ05MOG06	1/2"	3/8"	19	22	29	37	210	3045
LMJ06MOG04	**9/16"**	**1/4"**	**14**	**19**	**27.5**	**32**	**275**	**3988**
LMJ06MOG06	9/16"	3/8"	19	22	29.5	37	210	3045
LMJ06MOG08	**9/16"**	**1/2"**	**22**	**27**	**31**	**45**	**210**	**3045**
LMJ08MOG04	3/4"	1/4"	19	19	32	38	275	3988
LMJ08MOG06	**3/4"**	**3/8"**	**19**	**22**	**32**	**37**	**275**	**3988**
LMJ08MOG08	3/4"	1/2"	22	27	34	45.5	210	3045
LMJ08MOG12	**3/4"**	**3/4"**	**27**	**36**	**36**	**49**	**210**	**3045**
LMJ10MOG06	7/8"	3/8"	22	22	36	37.5	210	3045
LMJ10MOG08	**7/8"**	**1/2"**	**22**	**27**	**37**	**45.5**	**210**	**3045**
LMJ10MOG12	7/8"	3/4"	27	36	39	49	210	3045
LMJ12MOG08	**1".1/16**	**1/2"**	**27**	**27**	**42**	**47**	**210**	**3045**
LMJ12MOG12	1".1/16	3/4"	27	36	42	50	210	3045

90° ADJUSTABLE ADAPTOR MALE JIC – MALE BSPP / O-RING AND RETAINING SEAL (2)



GOMITO 90° - MASCHIO JIC - MASCHIO GAS CILINDRICO ORIENTABILE CON O-RING E RITEGNO
ADAPTATEUR ORIENTABLE COUDE 90° MÂLE JIC – MALE BSPP / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER 90° GSK – AG-JIC / AGR-F MIT O.R. UND HALTER
CODO ORIENTABLE 90° MACHO JIC – MACHO BSPP / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC

F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
LMJ12MOG16	1".1/16	1"	33	41	47	54.5	210	3045
LMJ16MOG12	**1".5/16**	**3/4"**	**33**	**36**	**47**	**54.5**	**170**	**2465**
LMJ16MOG16	1".5/16	1"	33	41	47	53	170	2465
LMJ16MOG20	**1".5/16**	**1".1/4**	**41**	**50**	**52**	**63**	**170**	**2465**
LMJ20MOG16	1".5/8	1"	41	41	53	58	140	2030
LMJ20MOG20	**1".5/8**	**1".1/4**	**41**	**50**	**55**	**60**	**140**	**2030**

90° ADJUSTABLE ADAPTOR MALE JIC – METRIC MALE / O-RING AND RETAINING SEAL



GOMITO 90° - METRICO JIC - MASCHIO METRICO ORIENTABILE CON O-RING E RITEGNO
ADAPTATEUR ORIENTABLE COUDE 90° MÂLE JIC – MÂLE MÉTRIQUE / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER 90° GSK – AG-JIC / AG- METRISCH MIT O.R. UND HALTER
CODO ORIENTABLE 90° MACHO JIC – MACHO MÉTRICO / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC

F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
LMJ04MOM10R	7/16"	10X1	14	14	23.5	30	310	4495
LMJ04MOM12R	**7/16"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
LMJ05MOM10R	1/2"	10X1	14	14	25	27.5	275	3988
LMJ05MOM12R	**1/2"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
LMJ05MOM14R	1/2"	14X1,5	14	19	27	35.5	275	3988
LMJ06MOM14R	**9/16"**	**14X1,5**	**14**	**19**	**27.5**	**35.5**	**275**	**3988**
LMJ06MOM16R	9/16"	16X1,5	19	22	28.5	39	210	3045
LMJ08MOM16R	**3/4"**	**16X1,5**	**19**	**22**	**32**	**39**	**275**	**3988**
LMJ08MOM18R	3/4"	18X1,5	19	24	32	41	275	3988
LMJ10MOM18R	**7/8"**	**18X1,5**	**22**	**24**	**37**	**41.5**	**210**	**3045**
LMJ10MOM22R	7/8"	22X1,5	22	27	37	43	210	3045
LMJ12MOM22R	**1".1/16**	**22X1,5**	**27**	**27**	**42**	**45.5**	**210**	**3045**
LMJ12MOM27R	1".1/16	27X2	27	32	42	51.5	210	3045
LMJ16MOM27R	**1".5/16**	**27X2**	**33**	**32**	**46**	**55**	**170**	**2465**
LMJ16MOM33R	1".5/16	33X2	33	41	46	55	170	2465
LMJ20MOM42R	**1".5/8**	**42X2**	**41**	**50**	**52.5**	**60**	**140**	**2030**

90° ADJUSTABLE ADAPTOR MALE JIC – METRIC MALE WITH O-RING



GOMITO 90° - MASCHIO JIC - MASCHIO ORIENTABILE METRICO CON O-RING
ADAPTATEUR ORIENTABLE COUDE 90° MÂLE JIC – MÂLE MÉTRIQUE ET O-RING
ADAPTER 90° GSK – AG-JIC / AGR- METRISCH MIT O.R.
CODO ORIENTABLE 90° MACHO JIC – MACHO MÉTRICO Y JUNTA TORICA

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
LMJ04MOM10	7/16"	10X1	14	14	23.5	30	310	4495
LMJ04MOM12	**7/16"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
LMJ05MOM10	1/2"	10X1	14	14	25	27.5	275	3988
LMJ05MOM12	**1/2"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
LMJ05MOM14	1/2"	14X1,5	14	19	27	35.5	275	3988
LMJ06MOM14	**9/16"**	**14X1,5**	**14**	**19**	**27.5**	**35.5**	**275**	**3988**
LMJ06MOM16	9/16"	16X1,5	19	22	28.5	39	210	3045
LMJ08MOM16	**3/4"**	**16X1,5**	**19**	**22**	**32**	**39**	**275**	**3988**
LMJ08MOM18	3/4"	18X1,5	19	24	32	41	275	3988
LMJ10MOM18	**7/8"**	**18X1,5**	**22**	**24**	**37**	**41.5**	**210**	**3045**
LMJ10MOM22	7/8"	22X1,5	22	27	37	43	210	3045
LMJ12MOM22	**1".1/16**	**22X1,5**	**27**	**27**	**42**	**45.5**	**210**	**3045**
LMJ12MOM27	1".1/16	27X2	27	32	42	51.5	210	3045
LMJ16MOM27	**1".5/16**	**27X2**	**33**	**32**	**46**	**55**	**170**	**2465**
LMJ16MOM33	1".5/16	33X2	33	41	46	55	170	2465
LMJ20MOM42	**1".5/8**	**42X2**	**41**	**50**	**52.5**	**60**	**140**	**2030**

90° ADJUSTABLE ADAPTOR MALE JIC – MALE UNF



GOMITO 90° - MASCHIO JIC - MASCHIO ORIENTABILE UNF
ADAPTATEUR ORIENTABLE COUDE 90° MÂLE JIC – MÂLE UNF
ADAPTER 90° GSK – AG-JIC / AG-UNF
CODO ORIENTABLE 90° MACHO JIC – MACHO UNF

F1 - JIC
F2 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
LMJ04MOU04	7/16"	7/16"	14	14	23.5	26	310	4495
LMJ04MOU05	**7/16"**	**1/2"**	**14**	**17**	**24.5**	**29.5**	**275**	**3988**
LMJ04MOU06	7/16"	9/16"	14	17	27	31.5	275	3988
LMJ05MOU05	**1/2"**	**1/2"**	**14**	**17**	**25**	**27.5**	**275**	**3988**
LMJ06MOU06	9/16"	9/16"	14	17	27.5	31.5	275	3988
LMJ06MOU08	**9/16"**	**3/4"**	**19**	**22**	**28.5**	**36.5**	**275**	**3988**
LMJ08MOU08	3/4"	3/4"	19	22	32	36.5	275	3988
LMJ08MOU10	**3/4"**	**7/8"**	**22**	**27**	**34**	**43**	**210**	**3045**
LMJ08MOU12	3/4"	1".1/16	27	32	37	49	210	3045
LMJ10MOU08	**7/8"**	**3/4"**	**22**	**22**	**37**	**39.5**	**210**	**3045**
LMJ10MOU10	7/8"	7/8"	22	27	37	43	210	3045
LMJ10MOU12	**7/8"**	**1".1/16**	**27**	**32**	**39.5**	**49**	**210**	**3045**
LMJ12MOU08	1".1/16	3/4"	27	22	42	42	210	3045
LMJ12MOU10	**1".1/16**	**7/8"**	**27**	**27**	**42**	**45.5**	**210**	**3045**
LMJ12MOU12	1".1/16	1".1/16	27	32	42	49	210	3045
LMJ12MOU16	**1".1/16**	**1".5/16**	**33**	**41**	**44.5**	**52**	**170**	**2465**
LMJ16MOU12	1".5/16	1".1/16	33	32	46	52	170	2465
LMJ16MOU16	**1".5/16**	**1".5/16**	**33**	**41**	**46**	**52**	**170**	**2465**
LMJ16MOU20	1".5/16	1".5/8	41	50	51	57	140	2030
LMJ20MOU20	**1".5/8**	**1".5/8**	**41**	**50**	**55**	**57**	**140**	**2030**

45° ADJUSTABLE ADAPTOR MALE JIC – MALE BSPP / O-RING AND RETAINING SEAL (1)



GOMITO 45° - MASCHIO JIC - MASCHIO GAS CILINDRICO ORIENTABILE CON O-RING E RITEGNO
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MALE BSPP / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER 45° GSK – AG-JIC / AGR-F MIT O.R. UND HALTER
CODO ORIENTABLE 45° MACHO JIC – MACHO BSPP / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
QMJ04MOG02	7/16"	1/8"	14	14	19.5	26	310	4495
QMJ04MOG04	**7/16"**	**1/4"**	**14**	**19**	**20**	**29**	**275**	**3988**
QMJ04MOG06	7/16"	3/8"	19	22	22.5	33	275	3988
QMJ04MOG08	**7/16"**	**1/2"**	**22**	**27**	**23**	**38.5**	**210**	**3045**
QMJ05MOG02	1/2"	1/8"	14	14	20	24	275	3988
QMJ05MOG04	**1/2"**	**1/4"**	**14**	**19**	**20**	**29**	**275**	**3988**
QMJ05MOG06	1/2"	3/8"	19	22	22.5	33	210	3045
QMJ06MOG04	**9/16"**	**1/4"**	**14**	**19**	**21.5**	**29**	**275**	**3988**
QMJ06MOG06	9/16"	3/8"	19	22	23	33	210	3045
QMJ06MOG08	**9/16"**	**1/2"**	**22**	**27**	**23.5**	**38.5**	**210**	**3045**
QMJ08MOG04	3/4"	1/4"	19	19	25.5	32.5	275	3988
QMJ08MOG06	**3/4"**	**3/8"**	**19**	**22**	**25.5**	**33**	**275**	**3988**
QMJ08MOG08	3/4"	1/2"	22	27	26	38.5	210	3045
QMJ08MOG12	**3/4"**	**3/4"**	**27**	**36**	**27**	**44**	**210**	**3045**
QMJ10MOG06	7/8"	3/8"	22	22	29	33	210	3045
QMJ10MOG08	**7/8"**	**1/2"**	**22**	**27**	**29**	**38.5**	**210**	**3045**
QMJ10MOG12	7/8"	3/4"	27	36	30	44	210	3045
QMJ12MOG08	**1".1/16**	**1/2"**	**27**	**27**	**33**	**43**	**210**	**3045**
QMJ12MOG12	1".1/16	3/4"	27	36	33	44	210	3045

45° ADJUSTABLE ADAPTOR MALE JIC – MALE BSPP / O-RING AND RETAINING SEAL (2)



GOMITO 45° - MASCHIO JIC - MASCHIO GAS CILINDRICO ORIENTABILE CON O-RING E RITEGNO
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MALE BSPP / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER 45° GSK – AG-JIC / AGR-F MIT O.R. UND HALTER
45° ORIENTABLE MACHO JIC–MACHO BSPP/ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC
F2 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
QMJ12MOG16	1".1/16	1"	33	41	37	47	170	2465
QMJ16MOG12	**1".5/16**	**3/4"**	**33**	**36**	**38**	**45**	**170**	**2465**
QMJ16MOG16	1".5/16	1"	33	41	38	47	170	2465
QMJ16MOG20	**1".5/16**	**1".1/4**	**41**	**50**	**39**	**48**	**170**	**2465**
QMJ20MOG16	1".5/8	1"	41	41	40	48	140	2030
QMJ20MOG20	**1".5/8**	**1".1/4**	**41**	**50**	**40**	**48**	**140**	**2030**

45° ADJUSTABLE ADAPTOR MALE JIC – METRIC MALE / O-RING AND RETAINING SEAL



GOMITO 45° - MASCHIO JIC - MASCHIO METRICO ORIENTABILE CON O-RING E RITEGNO
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MÂLE MÉTRIQUE / RONDELLE D'ÉTANCHÉITÉ ET O.RING
RINGNIPPEL ZÖLLIG / AG- METRISCH
ADAPTER 45° GSK – AG-JIC / AGR- METRISCH MIT O.R. UND HALTER
CODO ORIENTABLE 45° MACHO JIC – MACHO MÉTRICO / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC

F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
QMJ04MOM10R	7/16"	10X1	14	14	19.5	27	310	4495
QMJ04MOM12R	**7/16"**	**12X1,5**	**14**	**17**	**20**	**27**	**275**	**3988**
QMJ05MOM10R	1/2"	10X1	14	14	20	24	275	3988
QMJ05MOM12R	**1/2"**	**12X1,5**	**14**	**17**	**20**	**27**	**275**	**3988**
QMJ05MOM14R	1/2"	14X1,5	14	19	20	28	275	3988
QMJ06MOM14R	**9/16"**	**14X1,5**	**14**	**19**	**21.5**	**28**	**275**	**3988**
QMJ06MOM16R	9/16"	16X1,5	19	22	23	33	210	3045
QMJ08MOM16R	**3/4"**	**16X1,5**	**19**	**22**	**25.5**	**33**	**275**	**3988**
QMJ08MOM18R	3/4"	18X1,5	19	24	25.5	33	275	3988
QMJ10MOM18R	**7/8"**	**18X1,5**	**22**	**24**	**29**	**34.5**	**210**	**3045**
QMJ10MOM22R	7/8"	22X1,5	22	27	29	38	210	3045
QMJ12MOM22R	**1".1/16**	**22X1,5**	**27**	**27**	**33**	**41.5**	**210**	**3045**
QMJ12MOM27R	1".1/16	27X2	27	32	33	46	210	3045
QMJ16MOM27R	**1".5/16**	**27X2**	**33**	**32**	**38**	**46**	**170**	**2465**
QMJ16MOM33R	1".5/16	33X2	33	41	38	46	170	2465
QMJ20MOM42R	**1".5/8**	**42X2**	**41**	**50**	**40**	**40**	**140**	**2030**

45° ADJUSTABLE ADAPTOR MALE JIC – METRIC MALE WITH O-RING



GOMITO 45° - MASCHIO JIC - MASCHIO METRICO ORIENTABILE CON O-RING
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MÂLE MÉTRIQUE AVEC O-RING
ADAPTER 45° GSK – AG-JIC / AGR- METRISCH MIT O.R.
CODO ORIENTABLE 45° MACHO JIC – MACHO MÉTRICO Y JUNTA TORICA

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
QMJ04MOM10	7/16"	10X1	14	14	19.5	27	310	4495
QMJ04MOM12	**7/16"**	**12X1,5**	**14**	**17**	**20**	**27**	**275**	**3988**
QMJ05MOM10	1/2"	10X1	14	14	20	24	275	3988
QMJ05MOM12	**1/2"**	**12X1,5**	**14**	**17**	**20**	**27**	**275**	**3988**
QMJ05MOM14	1/2"	14X1,5	14	19	20	28	275	3988
QMJ06MOM14	**9/16"**	**14X1,5**	**14**	**19**	**21.5**	**28**	**275**	**3988**
QMJ06MOM16	9/16"	16X1,5	19	22	23	33	210	3045
QMJ08MOM16	**3/4"**	**16X1,5**	**19**	**22**	**25.5**	**33**	**275**	**3988**
QMJ08MOM18	3/4"	18X1,5	19	24	25.5	33	275	3988
QMJ10MOM18	**7/8"**	**18X1,5**	**22**	**24**	**29**	**34.5**	**210**	**3045**
QMJ10MOM22	7/8"	22X1,5	22	27	29	38	210	3045
QMJ12MOM22	**1".1/16**	**22X1,5**	**27**	**27**	**33**	**41.5**	**210**	**3045**
QMJ12MOM27	1".1/16	27X2	27	32	33	46	210	3045
QMJ16MOM27	**1".5/16**	**27X2**	**33**	**32**	**38**	**46**	**170**	**2465**
QMJ16MOM33	1".5/16	33X2	33	41	38	46	170	2465
QMJ20MOM42	**1".5/8**	**42X2**	**41**	**50**	**40**	**40**	**140**	**2030**

45° ADJUSTABLE ADAPTOR MALE JIC – MALE UNF



GOMITO 45° - MASCHIO JIC - MASCHIO UNF ORIENTABILE
ADAPTATEUR ORIENTABLE COUDE 45° MÂLE JIC – MÂLE UNF
ADAPTER 45° GSK – AG-JIC / AG-UNF
CODO ORIENTABLE 45° MACHO JIC – MACHO UNF

F1 - JIC
F1 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
QMJ04MOU04	7/16"	7/16"	14	14	19.5	26.5	310	4495
QMJ04MOU05	**7/16"**	**1/2"**	**14**	**17**	**20**	**26.5**	**275**	**3988**
QMJ04MOU06	7/16"	9/16"	-	-	-	-	275	3988
QMJ05MOU05	**1/2"**	**1/2"**	**14**	**17**	**20**	**26.5**	**275**	**3988**
QMJ06MOU06	9/16"	9/16"	14	17	21.5	29	275	3988
QMJ06MOU08	**9/16"**	**3/4"**	**19**	**22**	**23**	**33**	**275**	**3988**
QMJ08MOU08	3/4"	3/4"	19	22	25.5	33	275	3988
QMJ08MOU10	**3/4"**	**7/8"**	**22**	**27**	**26**	**39**	**210**	**3045**
QMJ08MOU12	3/4"	1".1/16	-	-	-	-	210	3045
QMJ10MOU08	**7/8"**	**3/4"**	**22**	**22**	**29**	**35.5**	**210**	**3045**
QMJ10MOU10	7/8"	7/8"	22	27	29	39	210	3045
QMJ10MOU12	**7/8"**	**1".1/16**	**-**	**-**	**-**	**-**	**210**	**3045**
QMJ12MOU08	1".1/16	3/4"	27	22	33	36	210	3045
QMJ12MOU10	**1".1/16**	**7/8"**	**27**	**27**	**33**	**39**	**210**	**3045**
QMJ12MOU12	1".1/16	1".1/16	27	32	33	44	210	3045
QMJ12MOU16	**1".1/16**	**1".5/16**	**33**	**41**	**37**	**47**	**170**	**2465**
QMJ16MOU12	1".5/16	1".1/16	33	32	38	46.5	170	2465
QMJ16MOU16	**1".5/16**	**1".5/16**	**33**	**41**	**38**	**47**	**170**	**2465**
QMJ16MOU20	1".5/16	1".5/8	41	50	39	48	140	2030
QMJ20MOU20	**1".5/8**	**1".5/8**	**41**	**50**	**40**	**48**	**140**	**2030**

ADJUSTABLE RUN TEE MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL (1)



ADATTATORE "T" ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO GAS CILINDRICO CON O-RING E RITEGNO
ADAPTATEUR TÉ RENVERSÉ MÂLE JIC - MALE BSPP / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AGR- F MIT O.R. UND HALTER (ARM)
ADAPTADOR TE ORIENTABLE MACHO JIC – MACHO BSPP / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC
F1 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOG02B	7/16"	1/8"	14	14	23.5	26	310	4495
TMJ04MOG04B	**7/16"**	**1/4"**	**14**	**19**	**24**	**34**	**275**	**3988**
TMJ04MOG06B	7/16"	3/8"	19	22	29	37	275	3988
TMJ04MOG08B	**7/16"**	**1/2"**	**22**	**27**	**31**	**43**	**210**	**3045**
TMJ05MOG02B	1/2"	1/8"	14	14	25	30	275	3988
TMJ05MOG04B	**1/2"**	**1/4"**	**14**	**19**	**25**	**34**	**275**	**3988**
TMJ05MOG06B	1/2"	3/8"	19	22	29	37	210	3045
TMJ06MOG04B	**9/16"**	**1/4"**	**14**	**19**	**27.5**	**32**	**275**	**3988**
TMJ06MOG06B	9/16"	3/8"	19	22	29.5	37	210	3045
TMJ06MOG08B	**9/16"**	**1/2"**	**22**	**27**	**31**	**45**	**210**	**3045**
TMJ08MOG04B	3/4"	1/4"	19	19	32	38	275	3988
TMJ08MOG06B	**3/4"**	**3/8"**	**19**	**22**	**32**	**37**	**275**	**3988**
TMJ08MOG08B	3/4"	1/2"	22	27	34	45.5	210	3045
TMJ08MOG12B	**3/4"**	**3/4"**	**27**	**36**	**36**	**49**	**210**	**3045**
TMJ10MOG06B	7/8"	3/8"	22	22	36	37.5	210	3045
TMJ10MOG08B	**7/8"**	**1/2"**	**22**	**27**	**37**	**45.5**	**210**	**3045**
TMJ10MOG12B	7/8"	3/4"	27	36	39	49	210	3045
TMJ12MOG08B	**1".1/16**	**1/2"**	**27**	**27**	**42**	**47**	**210**	**3045**
TMJ12MOG12B	1".1/16	3/4"	27	36	42	50	210	3045

ADJUSTABLE RUN TEE MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL (2)



"T" ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO GAS CILINDRICO CON O-RING E RITEGNO
TÉ RENVERSÉ MÂLE JIC - MALE BSPP / RONDELLE 'ÉTANCHÉITÉ ET O.RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AGR- F MIT O.R. UND HALTER (ARM)
ADAPTADOR TE ORIENTABLE MACHO JIC – MACHO BSPP / ARANDELA DE RETENCIÓN Y UNTA TORICA

F1 - JIC

F1 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ12MOG16B	1".1/16	1"	33	41	47	54.5	170	2465
TMJ16MOG12B	**1".5/16**	**3/4"**	**33**	**36**	**47**	**54.5**	**170**	**2465**
TMJ16MOG16B	1".5/16	1"	33	41	47	53	170	2465
TMJ16MOG20B	**1".5/16**	**1".1/4**	**41**	**50**	**52**	**58**	**170**	**2465**
TMJ20MOG16B	1".5/8	1"	41	41	53	58	140	2030
TMJ20MOG20B	**1".5/8**	**1".1/4**	**41**	**50**	**53**	**63**	**140**	**2030**

ADJUSTABLE RUN TEE MALE JIC – METRIC MALE / O-RING AND RETAINING SEAL



"T" ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO METRICO CON O-RING E RITEGNO
TÉ ORIENT. MÂLE JIC - MÂLE MÉTRIQUE / RONDELLE D'ÉTANCHÉITÉ ET O.R
T-STÜCK 2 X AG-JIC / 1 X AG- METRISCH MIT O.R. UND HALTER (ARM)
T ORIENTABLE MACHO JIC – MACHO MÉTRICO / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOMR10B	7/16"	10X1	14	14	23.5	30	310	4495
TMJ04MOMR12B	**7/16"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOMR10B	1/2"	10X1	14	14	25	27.5	275	3988
TMJ05MOMR12B	**1/2"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOMR14B	1/2"	14X1,5	14	19	27	35.5	275	3988
TMJ06MOMR14B	**9/16"**	**14X1,5**	**14**	**19**	**27.5**	**35.5**	**275**	**3988**
TMJ06MOMR16B	9/16"	16X1,5	19	22	28.5	39	210	3045
TMJ08MOMR16B	**3/4"**	**16X1,5**	**19**	**22**	**32**	**39**	**275**	**3988**
TMJ08MOMR18B	3/4"	18X1,5	19	24	32	41	275	3988
TMJ10MOMR18B	**7/8"**	**18X1,5**	**22**	**24**	**37**	**41.5**	**210**	**3045**
TMJ10MOMR20B	7/8"	20X1,5	22	27	37	42	210	3045
TMJ10MOMR22B	**7/8"**	**22X1,5**	**22**	**27**	**37**	**43**	**210**	**3045**
TMJ12MOMR22B	1".1/16	22X1,5	27	27	42	45.5	210	3045
TMJ12MOMR27B	**1".1/16**	**27X2**	**27**	**32**	**42**	**51.5**	**170**	**2465**
TMJ16MOMR27B	1".5/16	27X2	33	32	46	55	170	2465
TMJ16MOMR33B	**1".5/16**	**33X2**	**33**	**41**	**46**	**55**	**170**	**2465**
TMJ20MOMR42B	1".5/8	42X2	41	50	57	60	140	2030

ADJUSTABLE RUN TEE MALE JIC – METRIC MALE WITH O-RING



"T" ORIENTABILE AL BRACCIO - M. JIC - MASCHIO METRICO CON O-RING
TÉ RENVERSÉ ORIENTABLE MÂLE JIC - MÂLE MÉTRIQUE ET O-RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- METRISCH MIT O.R. (ARM)
ADAPTADOR TE ORIENTABLE MACHO JIC – MACHO MÉTRICO Y JUNTA TORICA

F1 - JIC
F2 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOM10B	7/16"	10X1	14	14	23.5	30	310	4495
TMJ04MOM12B	**7/16"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOM10B	1/2"	10X1	14	14	25	27.5	275	3988
TMJ05MOM12B	**1/2"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOM14B	1/2"	14X1,5	14	19	27	35.5	275	3988
TMJ06MOM14B	**9/16"**	**14X1,5**	**14**	**19**	**27.5**	**35.5**	**275**	**3988**
TMJ06MOM16B	9/16"	16X1,5	19	22	28.5	39	210	3045
TMJ08MOM16B	**3/4"**	**16X1,5**	**19**	**22**	**32**	**39**	**275**	**3988**
TMJ08MOM18B	3/4"	18X1,5	19	24	32	41	275	3988
TMJ10MOM18B	**7/8"**	**18X1,5**	**22**	**24**	**37**	**41.5**	**210**	**3045**
TMJ10MOM20B	7/8"	20X1,5	22	27	37	42	210	3045
TMJ10MOM22B	**7/8"**	**22X1,5**	**22**	**27**	**37**	**43**	**210**	**3045**
TMJ12MOM22B	1".1/16	22X1,5	27	27	42	45.5	210	3045
TMJ12MOM27B	**1".1/16**	**27X2**	**27**	**32**	**42**	**51.5**	**170**	**2465**
TMJ16MOM27B	1".5/16	27X2	33	32	46	55	170	2465
TMJ16MOM33B	**1".5/16**	**33X2**	**33**	**41**	**46**	**55**	**170**	**2465**
TMJ20MOM42B	1".5/8	42X2	41	50	57	60	140	2030

ADJUSTABLE RUN TEE MALE JIC - MALE UNF



ADATTATORE "T" ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO UNF
ADAPTATEUR TÉ RENVERSÉ ORIENTABLE MÂLE JIC - MÂLE UNF
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- UNF (ARM)
ADAPTADOR TE ORIENTABLE MACHO JIC – MACHO UNF

F1 - JIC
F2 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOU04B	7/16"	7/16"	14	14	23.5	26	310	4495
TMJ04MOU05B	**7/16"**	**1/2"**	**14**	**17**	**24.5**	**29.5**	**275**	**3988**
TMJ04MOU06B	7/16"	9/16"	14	17	27	31.5	275	3988
TMJ05MOU05B	**1/2"**	**1/2"**	**14**	**17**	**25**	**27.5**	**275**	**3988**
TMJ06MOU06B	9/16"	9/16"	14	17	27.5	31.5	275	3988
TMJ06MOU08B	**9/16"**	**3/4"**	**19**	**22**	**28.5**	**36.5**	**275**	**3988**
TMJ08MOU08B	3/4"	3/4"	19	22	32	36.5	275	3988
TMJ08MOU10B	**3/4"**	**7/8"**	**22**	**27**	**34**	**43**	**210**	**3045**
TMJ08MOU12B	3/4"	1".1/16	27	32	37	49	210	3045
TMJ10MOU08B	**7/8"**	**3/4"**	**22**	**22**	**37**	**39.5**	**210**	**3045**
TMJ10MOU10B	7/8"	7/8"	22	27	37	43	210	3045
TMJ10MOU12B	**7/8"**	**1".1/16**	**27**	**32**	**39.5**	**49**	**210**	**3045**
TMJ12MOU08B	1".1/16	3/4"	27	22	42	42	210	3045
TMJ12MOU10B	**1".1/16**	**7/8"**	**27**	**27**	**42**	**45.5**	**210**	**3045**
TMJ12MOU12B	1".1/16	1".1/16	27	32	42	49	210	3045
TMJ12MOU16B	**1".1/16**	**1".5/16**	**33**	**41**	**44.5**	**52**	**210**	**3045**
TMJ16MOU12B	1".5/16	1".1/16	33	32	46	52	170	2465
TMJ16MOU16B	**1".5/16**	**1".5/16**	**33**	**41**	**46**	**52**	**170**	**2465**
TMJ16MOU20B	1".5/16	1".5/8	41	50	51	57	140	2030
TMJ20MOU20B	**1".5/8**	**1".5/8**	**41**	**50**	**57**	**57**	**140**	**2030**

BRANCH TEE MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL (1)



ADATTATORE "T" ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO GAS CILINDRICO CON O-RING E RITEGNO
ADAPTATEUR TÉ MÂLE JIC - MALE BSPP / RONDELLE D'ÉTANCHÉITÉ O.RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AGR- F MIT O.R. UND HALTER (FUSS)
ADAPTADOR TE MACHO JIC - MACHO BSPP / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC

F1 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOG02P	7/16"	1/8"	14	14	23.5	26	310	4495
TMJ04MOG04P	**7/16"**	**1/4"**	**14**	**19**	**24**	**34**	**275**	**3988**
TMJ04MOG06P	7/16"	3/8"	19	22	29	37	275	3988
TMJ04MOG08P	**7/16"**	**1/2"**	**22**	**27**	**31**	**43**	**210**	**3045**
TMJ05MOG02P	1/2"	1/8"	14	14	25	30	275	3988
TMJ05MOG04P	**1/2"**	**1/4"**	**14**	**19**	**25**	**34**	**275**	**3988**
TMJ05MOG06P	1/2"	3/8"	19	22	29	37	210	3045
TMJ06MOG04P	**9/16"**	**1/4"**	**14**	**19**	**27.5**	**32**	**275**	**3988**
TMJ06MOG06P	9/16"	3/8"	19	22	29.5	37	210	3045
TMJ06MOG08P	**9/16"**	**1/2"**	**22**	**27**	**31**	**45**	**210**	**3045**
TMJ08MOG04P	3/4"	1/4"	19	19	32	38	275	3988
TMJ08MOG06P	**3/4"**	**3/8"**	**19**	**22**	**32**	**37**	**275**	**3988**
TMJ08MOG08P	3/4"	1/2"	22	27	34	45.5	210	3045
TMJ08MOG12P	**3/4"**	**3/4"**	**27**	**36**	**36**	**49**	**210**	**3045**
TMJ10MOG06P	7/8"	3/8"	22	22	36	37.5	210	3045
TMJ10MOG08P	**7/8"**	**1/2"**	**22**	**27**	**37**	**45.5**	**210**	**3045**
TMJ10MOG12P	7/8"	3/4"	27	36	39	49	210	3045
TMJ12MOG08P	**1".1/16**	**1/2"**	**27**	**27**	**42**	**47**	**210**	**3045**
TMJ12MOG12P	1".1/16	3/4"	27	36	42	50	210	3045

BRANCH TEE MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL (2)



ADATTATORE "T" ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO GAS CILINDRICO CON O-RING E RITEGNO
ADAPTATEUR TÉ MÂLE JIC - MALE BSPP / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AGR- F MIT O.R. UND HALTER (FUSS)
ADAPTADOR TE MACHO JIC - MACHO BSPP / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC
F1 - BSPP, Gaz cylindrique, Zylinder - Gasgewinde, Gas cilindrica

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ12MOG16P	1".1/16	1"	33	41	47	54.5	170	2465
TMJ16MOG12P	**1".5/16**	**3/4"**	**33**	**36**	**47**	**54.5**	**170**	**2465**
TMJ16MOG16P	1".5/16	1"	33	41	47	53	170	2465
TMJ16MOG20P	**1".5/16**	**1".1/4**	**41**	**50**	**52**	**58**	**170**	**2465**
TMJ20MOG16P	1".5/8	1"	41	41	53	58	140	2030
TMJ20MOG20P	**1".5/8**	**1".1/4**	**41**	**50**	**53**	**63**	**140**	**2030**

ADJUSTABLE BRANCH TEE MALE JIC – METRIC MALE / O-RING AND RETAINING SEAL



ADATTATORE "T" ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO METRICO CON O-RING E RITEGNO
ADAPTATEUR TÉ ORIENTABLE MÂLE JIC – MÂLE MÉTRIQUE / RONDELLE D'ÉTANCHÉITÉ ET O.RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- METRISCH MIT O.R. UND HALTER (FUSS)
ADAPTADOR TE ORIENTABLE MACHO JIC– MACHO MÉTRICO / ARANDELA DE RETENCIÓN Y JUNTA TORICA

F1 - JIC

F1 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOMR10P	7/16"	10X1	14	14	23.5	30	310	4495
TMJ04MOMR12P	**7/16"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOMR10P	1/2"	10X1	14	14	25	27.5	275	3988
TMJ05MOMR12P	**1/2"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOMR14P	1/2"	14X1,5	14	19	27	35.5	275	3988
TMJ06MOMR14P	**9/16"**	**14X1,5**	**14**	**19**	**27.5**	**35.5**	**275**	**3988**
TMJ06MOMR16P	9/16"	16X1,5	19	22	28.5	39	210	3045
TMJ08MOMR16P	**3/4"**	**16X1,5**	**19**	**22**	**32**	**39**	**275**	**3988**
TMJ08MOMR18P	3/4"	18X1,5	19	24	32	41	275	3988
TMJ10MOMR18P	**7/8"**	**18X1,5**	**22**	**24**	**37**	**41.5**	**210**	**3045**
TMJ10MOMR20P	7/8"	20X1,5	22	27	37	42	210	3045
TMJ10MOMR22P	**7/8"**	**22X1,5**	**22**	**27**	**37**	**43**	**210**	**3045**
TMJ12MOMR22P	1".1/16	22X1,5	27	27	42	45.5	210	3045
TMJ12MOMR27P	**1".1/16**	**27X2**	**27**	**32**	**42**	**51.5**	**170**	**2465**
TMJ16MOMR27P	1".5/16	27X2	33	32	46	55	170	2465
TMJ16MOMR33P	**1".5/16**	**33X2**	**33**	**41**	**46**	**55**	**170**	**2465**
TMJ20MOMR42P	1".5/8	42X2	41	50	57	60	140	2030

ADJUSTABLE BRANCH TEE MALE JIC – METRIC MALE WITH O-RING



"T" ORIENTABILE AL PIEDE - MASCHIO JIC - M. METRICO CON O-RING
ADAPTATEUR TÉ ORIENTABLE MÂLE JIC – MÂLE MÉTRIQUE ET O-RING
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- METRISCH MIT O.R. (FUSS)
ADAPTADOR TE ORIENTABLE MACHO JIC– MACHO MÉTRICO Y JUNTA TORICA

F1 - JIC
F1 - Metrico, Metric, Métrique, Metrisch, Métrico

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOM10P	7/16"	10X1	14	14	23.5	30	310	4495
TMJ04MOM12P	**7/16"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOM10P	1/2"	10X1	14	14	25	27.5	275	3988
TMJ05MOM12P	**1/2"**	**12X1,5**	**14**	**17**	**27**	**32.5**	**275**	**3988**
TMJ05MOM14P	1/2"	14X1,5	14	19	27	35.5	275	3988
TMJ06MOM14P	**9/16"**	**14X1,5**	**14**	**19**	**27.5**	**35.5**	**275**	**3988**
TMJ06MOM16P	9/16"	16X1,5	19	22	28.5	39	210	3045
TMJ08MOM16P	**3/4"**	**16X1,5**	**19**	**22**	**32**	**39**	**275**	**3988**
TMJ08MOM18P	3/4"	18X1,5	19	24	32	41	275	3988
TMJ10MOM18P	**7/8"**	**18X1,5**	**22**	**24**	**37**	**41.5**	**210**	**3045**
TMJ10MOM20P	7/8"	20X1,5	22	27	37	42	210	3045
TMJ10MOM22P	**7/8"**	**22X1,5**	**22**	**27**	**37**	**43**	**210**	**3045**
TMJ12MOM22P	1".1/16	22X1,5	27	27	42	45.5	210	3045
TMJ12MOM27P	**1".1/16**	**27X2**	**27**	**32**	**42**	**51.5**	**170**	**2465**
TMJ16MOM27P	1".5/16	27X2	33	32	46	55	170	2465
TMJ16MOM33P	**1".5/16**	**33X2**	**33**	**41**	**46**	**55**	**170**	**2465**
TMJ20MOM42P	1".5/8	42X2	41	50	57	60	140	2030

ADJUSTABLE BRANCH TEE MALE JIC –MALE UNF



ADATTATORE "T" ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO UNF
ADAPTATEUR TÉ ORIENTABLE MÂLE JIC – MÂLE UNF
ADAPTER T-STÜCK 2 X AG-JIC / 1 X AG- UNF
ADAPTADOR TE ORIENTABLE MACHO JIC– MACHO UNF

F1 - JIC
F2 - UNF

Code	Thread		Dimensions				Pressure	
	F1	F2	H1	H2	L1	L2	PN	
			mm	mm	mm	mm	Bar	Psi
TMJ04MOU04P	7/16"	7/16"	14	14	23.5	26	310	4495
TMJ04MOU05P	**7/16"**	**1/2"**	**14**	**17**	**24.5**	**29.5**	**275**	**3988**
TMJ04MOU06P	7/16"	9/16"	14	17	27	31.5	275	3988
TMJ05MOU05P	**1/2"**	**1/2"**	**14**	**17**	**25**	**27.5**	**275**	**3988**
TMJ06MOU06P	9/16"	9/16"	14	17	27.5	31.5	275	3988
TMJ06MOU08P	**9/16"**	**3/4"**	**19**	**22**	**28.5**	**36.5**	**275**	**3988**
TMJ08MOU08P	3/4"	3/4"	19	22	32	36.5	275	3988
TMJ08MOU10P	**3/4"**	**7/8"**	**22**	**27**	**34**	**43**	**210**	**3045**
TMJ08MOU12P	3/4"	1".1/16	27	32	37	49	210	3045
TMJ10MOU08P	**7/8"**	**3/4"**	**22**	**22**	**37**	**39.5**	**210**	**3045**
TMJ10MOU10P	7/8"	7/8"	22	27	37	43	210	3045
TMJ10MOU12P	**7/8"**	**1".1/16**	**27**	**32**	**39.5**	**49**	**210**	**3045**
TMJ12MOU08P	1".1/16	3/4"	27	22	42	42	210	3045
TMJ12MOU10P	**1".1/16**	**7/8"**	**27**	**27**	**42**	**45.5**	**210**	**3045**
TMJ12MOU12P	1".1/16	1".1/16	27	32	42	49	210	3045
TMJ12MOU16P	**1".1/16**	**1".5/16**	**33**	**41**	**44.5**	**52**	**210**	**3045**
TMJ16MOU12P	1".5/16	1".1/16	33	32	46	52	170	2465
TMJ16MOU16P	**1".5/16**	**1".5/16**	**33**	**41**	**46**	**52**	**170**	**2465**
TMJ16MOU20P	1".5/16	1".5/8	41	50	51	57	140	2030
TMJ20MOU20P	**1".5/8**	**1".5/8**	**41**	**50**	**57**	**57**	**140**	**2030**

NOTES

SAE J514 a-2016 eu

Data reported in this catalogue are not binding.
Vitillo S.p.a. reserves the right to change specifications without notice.

I dati riportati nella seguente pubblicazione non sono vincolanti.
Vitillo S.p.a. si riserva di apportare modifiche senza preavviso.

Les donnèes exposèes dans ce catalogue ne sont pas contraignantes.
Vitillo s.p.a se rèseve le droit d'appotter des modificstions sans aucun prèavis.

Die vorliegenden Angaben sind nicht bindend.
Vitillo S.p.a. behält sich technische Änderungen vor ohne Mitteilung.

Los datos referidos en la presente publicación son indicativos.
Vitillo S.p.a. se reserva el derecho de modificar las especificaciones sin aviso previo.